

ÉLÉMENTS DE BIBLIOGRAPHIE LICHÉNOLOGIQUE

ANNÉE 2004

André * et Christiane BELLEMÈRE
53 jardins Boieldieu - 92800 Puteaux
courriel : andre.bellemere@wanadoo.fr
* Attaché honoraire au Museum de Paris

I – BIBLIOGRAPHIE THÉMATIQUE

Les numéros figurant dans chacune des rubriques de la première partie renvoient aux références de la seconde, classées par ordre alphabétique.

THALLE

Morphologie et structure

Généralités : 54 — Pigmentation : 101 — Anatomie : 75, 157 — Isidies : 170, 482

Bioconstituants

Photobiontes : 31, 348

Symbiose : 151, 211, 372, 387, 401, 402, 477, 487

Constituants chimiques et métabolisme

Métabolisme primaire : 40, 102, 103, 157, 171

Métabolisme secondaire : 118, 121, 435, 445

Physiologie

Absorption : 10, 104, 123, 151

Photosynthèse : 348

Croissance et développement : 208

GÉNÉTIQUE

Généralités : 26, 212, 213, 348

Génétique des populations : 208, 364, 371

REPRODUCTION

Reproduction végétative

Sorédies : 100 — Hyphophores : 137 — Pycnides : 393 — Conidies : 393

Reproduction sexuée

Ascoms : 169, 313 — Asques et ascospores : 72, 370, 387

Dispersion : 364, 472

Recolonisation : 178, 424

SUBSTRATS et MILIEUX

Généralités : 12

Milieus aériens

Lichens épiphytes

Corticoles : 21, 61, 302, 311, 353, 383

Foliicoles : 65, 135, 465

Bryophiles : 111

Lichénicoles : 81, 126, 178

Lichens saxicoles : 72, 75, 79, 87, 136, 168

Lichens terricoles (ou arénicoles) : 244, 337, 414

Milieus aquatiques

Milieu marin : 326, 402

Action des lichens sur les substrats et les milieux :

Généralités : 61, 398

ACTION DE L'ENVIRONNEMENT SUR LES LICHENS

Généralités : 162

Facteurs

Facteurs physiques

Lumière : 102, 157 - Vents et tempêtes : 296

Facteurs chimiques

Métaux : 31 — Composés minéraux azotés : 151

Facteurs biologiques

Compétitions interlichéniques (successions) : 244

Champignons lichénicoles

Généralités : 14, 10, 100, 283, 405

Systématique

Ascomycètes : *Buelliellia* 437, *Cornutispora* 265, *Homostegia* 198

Imperfecti : *Phoma* 199

Basidiomycètes : *Tremella* 150

Invertébrés : 173 (Araignées), 14 (Collemboles)

Vertébrés 243 (pâturer, Rennes)

Action des lichens sur l'environnement

Complexité : 31, 37, 102, 243, 394

Plasticité des réactions : 40, 308, 477

Importance des actions à long terme : 255, 314, 383, 421

BIOGÉOGRAPHIE et FLORISTIQUE

Europe

Généralités : 260, 298, 324, 350, 364, 396, 405, 446, 449

France

Généralités : 60

Nord : 158, 371 — Alpes : 4, 164 — Sud-Ouest : 235 — Midi : 64, 124, 394

Europe méridionale

Généralités : 18, 96

Italie : 165, 166, 300, 318, 337, 338, 379, 457, 468

Ibérie : 7, 20, 21, 97 — Portugal : 367, 424 — Espagne : 313, 353, 467 —

Macaronésie : 324, 396, 446

Europe occidentale

Grande Bretagne : 106, 147, 277, 349 — Ecosse : 1, 92, 93, 142 — Irlande : 349

Belgique : 15, 110, 127, 420 — Luxembourg : 420 — Pays-Bas : 16

Europe centrale

Allemagne : 359, 360, 426, 476 — Pologne : 52, 100, 255, 263, 272, 273, 274, 348

Tchéquie : 41, 42, 43, 297, 363, 470, 495 — Slovaquie : 296, 297, 352

Suisse : 90 — Autriche : 24, 179, 459, 460 — Slovaquie : 175

Europe septentrionale

Généralités : 119, 222, 225, 405, 448, 497

Scandinavie : 49, 182, 224 — Suède : 28, 154, 174, 203, 204, 205, 480, 481 —

Norvège : 223 (Spitzberg), 463 — Danemark : 6, 87, 427 — Islande : 62, 140, 441 —

Groenland : 182, 183, 184, 185, 186 — Finlande : 190, 380

Europe orientale

Russie : 9, 26, 202, 261, 310, 311, 330, 357, 462 — Estonie : 248, 264, 299, 337, 433 —

Lithuanie : 316 — Roumanie : 88

Afrique

Afrique du Nord — Maroc : 20, 26

Afrique du Sud — Généralités : 56, 135, 201, 232, 271, 325, 494 — Mozambique : 366

Amérique

Amérique du Nord

Généralités : 18, 78, 132, 145, 284, 378, 479, 483

Canada : 32, 68, 83, 91, 452

Etats-Unis — Ouest : 50, 84, 91, 94, 114, 161, 191, 209, 225, 289, 377, 382, 428 — Californie : 72,

73, 75, 77, 79, 115, 230, 243, 266, 268, 290, 334, 455 — Centre : 47, 134, 145, 199, 258, 283,

285, 368, 422, 471 — Est : 287, 288, 289, 291, 389 — Alaska : 91, 493

Mexique : 206, 333

Amérique centrale

Généralités : 483 — Costa Rica : 85, 170 — Panama : 279

Amérique du Sud

Généralités : 56, 117, 133, 201, 232, 242, 365

Equateur : 240, 283 — Argentine : 82, 229, 319, 384 — Uruguay : 133

Asie

Généralités : 232, 233, 260, 451

Turquie : 109, 256, 461, 489

Moyen Orient — Généralités : 329 — Iran : 418 — Bahrein : 312 — Yemen : 321 (Socotra) , 413

Inde : 2, 5, 335, 423 — Océan Indien : Seychelles 416

Chine : 13, 189, 216, 342, 345, 442, 473, 496 — Japon : 187, 188, 265, 421, 440, 488

Asie centrale — Généralités : 345, 463 — Mongolie : 51 — Sibérie : 231, 451, 454, 498

Océanie

Australie : 55, 56, 116 120, 171, 201, 237, 253, 257, 307, 328 — Tasmanie : 249, 250, 251, 252

Nlle Zélande : 37, 127, 146, 152, 153, 154, 309, 317, 365, 369

Nlle Guinée : 425 — Iles du Pacifique : 23, 25

Antarctique et îles périantarctiques

Généralités : 258, 361, 430 — Espèces remarquables : 347, 354, 355, 400

SYSTÉMATIQUE (Les noms des genres nouveaux sont soulignés)

Généralités : 169, 306, 370, 387

Données de systématique moléculaire — Phylogénie : 8, 26, 38, 39, 58, 80, 96, 97, 98, 149, 168, 169, 195, 245, 303, 304, 305, 306, 315, 320, 326, 327, 346, 355, 373, 387, 390, 409, 446, 447, 472, 477, 478

Agyriales

Agyriaceae — *Placopsis* 153 , *Placynthiella* 289, *Trapeliopsis* 364

Arthoniales

Arthoniaceae : *Arthonia* 81, 170, 225

Chrysotrichaceae : *Chrysothrix* 273

Roccellaceae : *Dirina* 432 ; *Enterographa* 431 ; *Lecanactis* 249 ; *Opegrapha* 126, 449, 457 ;
Roccella 446 ; *Sclerophyton* 431

Gyalectales

Coenogoniaceae : *Coenogonium* (ex *Dimerella*) 276, 309 ; *Ramonia* 457

Helotiales

Icmadophilaceae : (?) *Thamnolia* 404

Lecanorales

Généralités : 387, 478

Acarosporaceae — Généralités : 387 — *Acarospora* 268, 269, 387 ; *Sarcosagium* 162

Alectoriaceae : "Alectorioides" 473

Anziaceae : *Anzia* 149

Bacidiaceae : *Bacidia* 465 ; *Biatora* 378, 457 ; *Lecania* 463 ; *Squamacidia* 13 ; *Squamarina* 280

Caliciaceae — Généralités (lichens calicioides) : 202, 380, 454 — *Acroschyphus* 230 ; *Cyphelium* 196

Catillariaceae : *Solenopsora* 251

Cladoniaceae : *Cladonia* 5, 32, 102, 227, 250, 259, 295, 298, 372, 373, 487, 497

Collemataceae : *Collema* 456 ; *Leptogium* 18, 19, 20, 241, 353

Ectolechiaceae : *Byssoloma* 204

Hymeneliaceae : *Aspicilia* 81 ; *Tremolecia* 460

Lecanoraceae : *Candelariella* 260 ; *Lecanora* 60, 119, 168, 219, 313, 393 ; *Miriquidica* 9

Lecideaceae : *Hypocenomyce* 121 ; *Lecidea* 28, 219, 460, 489 ; *Scoliciosporum* 35, 115, 177

Lobariaceae : *Lobaria* 10, 11, 84, 279, 308, 425, 472

Micareaeae : *Micarea* 94, 457

Pannariaceae — Généralités : 232, 240 — *Austrella* 232 ; *Degeliella* 232 ; *Fuscopannaria* 131, 232 ;
Kroswia 237 ; *Pannaria* 236, 242 ; *Psoroma* 238

Parmeliaceae — Généralités : 448 — *Allantoparmelia* 207 ; *Bryoria* 213, 214, 347 ; *Cetraria* 275 ;
"Cetrarioides" 315, 385 ; *Flavocetraria* 56, 348 ; *Flavoparmelia* 198, 427 ; *Hypogymnia*
71, 86, 484 ; *Hypotrachyna* 118, 314 ; *Imshaugia* 117 ; *Leprocaulon* 211 ; *Letharia* 11, 26 ;
Melanelia 57, 481 ; *Melanelixia* 57 ; *Melanohalea* 57 ; *Menegazzia* 53, 55, 253 ;
Myelochroa 22, 138 ; *Pannoparmelia* 149 ; *Parmelia* 327 ; *Parmelinopsis* 314 ;
Parmotrema 36, 120, 367 ; *Pseudevernia* 468 ; *Punctelia* 3, 97 ; *Usnea* 27 (*Neuropogon*),
30, 89, 204, 346, 354 ; *Xanthoparmelia* 48, 58, 116, 333, 352

- Physciaceae — Généralités : 178, 325 — *Amandinea* 76 ; *Buellia* 72, 73, 74, 76, 77, 78, 171, 345, 361 ; *Coscinocladium* 96 ; *Dimelaena* 345 ; *Diplotomma* 78 ; *Heterodermia* 324 ; *Physcia* 132 ; *Physconia* 98 ; *Pyxine* 282 ; *Rinodina* 317 ; *Tetramelas* 339
- Porpidiaceae — Généralités : 80 — *Amygdalaria* 262 ; *Clauzadea* 28
- Psoraceae : *Protoblastenia* 245 ; *Psora* 451
- Ramalinaceae : *Ramalina* 95, 229, 231, 423, 435, 489
- Rhizocarpaceae : *Rhizocarpon* 41, 74, 222, 223, 462
- Sphaerophoraceae : *Bunodophoron* 435
- Stereocaulaceae : *Hertelidea* 377 ; *Stereocaulon* 216, 377
- Umbilicariaceae : *Lasallia* 274 ; *Umbilicaria* 40, 239, 274, 355 ; "Umbilicarioides" 491
- Vezeaceae : *Vezeadaea* 479
- Lecanorales Inc. Sed. : *Biatoridium* 235 ; *Bilimbia* 464 ; *Korfiomyces* 226 ; *Maronella* 176 ; *Piccolia* 176
- Lichinales**
- Lichinaceae : *Heppia* 480 ; *Pterygiopsis* 413 ; *Zahlbrucknerella* 201
- Mycocaliciales**
- Mycocaliciaceae — Généralités : 453 — *Phaeocalicium* 49 ; *Stenocybe* 111
- Sphinctrinaceae : *Sphinctrina* 419
- Ostropales**
- Asterothyriaceae — Généralités : 203
- Gomphillaceae — Généralités : 137, 303 — *Gyalideopsis* 291 ; *Ulugaria* 465
- Graphidaceae — Généralités : 108 — *Diorygma* 247 ; *Fissurina* 13 ; *Graphina* 2
- Stictidaceae : *Conotrema* (+ *Stictis*) 477
- Thelotremataceae : *Diploschistes* 99 ; *Nadvornikia* 305 ; *Ocellularia* 13 ; *Thelotrema* 457
- Peltigerales**
- Généralités : 320, 478
- Nephromataceae : *Nephroma* 356, 493
- Peltigeraceae : *Peltigera* 103, 356, 397, 469 ; *Solorina* 50
- Placynthiaceae : *Hertella* 201, *Koerberia* 60
- Pertusariales**
- Pertusariaceae — Généralités : 409 ; *Ochrolechia* 126 ; *Pertusaria* 126, 228, 319, 409
- Pyrenulales**
- Pyrenulaceae : *Pyrenula* 445, *Pyrgillus* 305
- Teloschistales**
- Fuscideaceae — Généralités : 261
- Teloschistaceae — Généralités : 107, 261 ; *Caloplaca* 17, 199, 258, 428, 482, 483 ; *Seirophora* 141 ; *Teloschistes* 141 ; *Xanthoria* 101, 151, 159, 175, 212, 213, 271, 403
- Trichotheliales**
- Porinaceae : Généralités : 169, 301 ; *Porina* 68
- Trichotheliaceae : *Trichothelium* 302
- Verrucariales**
- Verrucariaceae : *Involucropyrenium* 63 ; *Staurothele* 13 ; *Trimmatothele* 125 ; *Verrucaria* 41, 187, 349, 350, 351, 402
- Familles Incertae sedis**
- Coniocybaceae : *Coniocybe* 419, *Sclerophora* 7
- Epigloeaceae : *Oevstedalia* 125
- Dactylosporaceae : *Dactylospora* 224
- Mastodiaceae : *Mastodia* 270
- Protothelenellaceae : *Protothelenella* 145
- Thelenellaceae : *Chromatochlamys* 147 ; *Thelenella* 147
- Xanthopyreniaceae : *Collemopsidium* 270, 326
- Genres Incertae sedis**
- Amphotrema* 246 ; *Lepraria* 293 ; "Leprarioides" 43
- Basidiolichens**
- Dictyonema* 85

L'HOMME ET LES LICHENS

Activités de certains lichens préjudiciables à l'homme

Détérioration de roches : 75, 467

Utilisation des lichens par l'homme

Généralités : 410

Recolonisation des sols après incendies : 424

Maintien d'équilibres biologiques (lichens et paysages) : 155, 200, 214, 252

Lichénométrie : 62, 294, 468, 471

Bioindication — Généralités : 4, 29, 84, 97, 105, 164, 229, 362, 414, 427, 433

Activités médicamenteuses : 181, 331, 412, 456

Protection des Lichens : 47, 174, 389

Recherches sur les Lichens

Techniques physico-chimiques expérimentales : 33, 40 ; microscopie : 160 ; transplants : 11, 484

Cultures pures : 3, 95, 434, 435, 445

Phylogénie moléculaire (voir § Systématique)

Etudes de terrain

Peuplements : 88

Herbiers et Exsiccata : 139, 185, 343, 344, 366, 375, 408, 415, 466, 474, 475

Terminologie et Nomenclature : 38, 43, 156, 234, 281, 282, 395, 401

Documentation bibliographique

Généralités : 316

Ouvrages 107, 429

Revue : 269, 436

Articles : 128, 129, 130, 131, 297, 363, 440

Cartes de répartition : 411

Banques de données : 143, 458

Historique de la lichénologie : 167, 281, 358, 426

Lichénologues

Associations : 124

Réunions, Colloques, Congrès : 110, 172, 277, 386, 429

Ouvrages honorifiques : 112 (H. HERTEL) ; 218 (H. TRASS) ; 450 (L. TIBELL)

Distinctions — Médaille d'Acharius : M.-A. LETROUIT-GALINOU 197 ; J. ELIX 332 ;

L. KAPPEN 399 — Distinction Mason Hale : J.C. WALSER 407 — Distinction pour l'enseignement lichénologique éducatif : S. DURAN SHARNOFF 70, 336

Notices nécrologiques : CHESTER T. 369 ; LLANO G.A. 67

II - RÉFÉRENCES BIBLIOGRAPHIQUES

- 1 - ACTON A. & GRIFFITH A. - Lichens of Rowan in western Scotland. British Lichen Society Bulletin 94 : 22-23
- 2 - ADAWADKAR B. & MAKHIJA U. - A new isidiate species of *Graphis* from India. Lichenologist 36 (6) : 361-363
- 3 - ADLER M.T., FAZIO A., BERTONI M.D., ROSSO M.L., MAIER M.S. & THELL A. - Culture experiments and DNA-verification of a mycobiont isolated from *Punctelia supraesignis* (Parmeliaceae, lichenized Ascomycotina). Bibliotheca Lichenologica 88 : 1-8
- 4 - AGNELLO G., MANNEVILLE O. & ASTA J. - Mousses et lichens, bioindicateurs (s.l.) de l'état des zones humides : exemples de quatre sites protégés du Département de l'Isère (France). Revue d'Ecologie : la Terre et la Vie 59 : 147-162
- 5 - AHTI T. & UPRETI D.K. - Two new species of *Cladonia* (Lecanorales) from the Himalayas. Bibliotheca Lichenologica 88 : 9-13
- 6 - ALSTRUP V., SVANE S. & SOCHTING U. - Additions to the lichen flora of Denmark. VI. *Graphis* Scripta 15 : 45
- 7 - AMO G. & BURGAS A.R. - *Sclerophora peronella* new to Iberian Peninsula. Lichenologist 36 (3-4) : 265-267
- 8 - ANDERSEN H.L. & EKMAN S. - Phylogeny of the Micareaeae inferred from nr SSU DNA sequences. Lichenologist 36 (1) : 27-35
- 9 - ANDREEV M.P. - Notes on the lichen genus *Miriquidica* (Lecanorales, Lecanoraceae) in Russia. Bibliotheca Lichenologica 88 : 15-42

- 10 - ANTOINE M.E. - An ecophysiological approach to quantifying nitrogen fixation by *Lobaria oregana*. Bryologist 107 (1) : 82-87
- 11 - ANTOINE M.E. & Mac CUNE B. - Constrasting fundamental and realized ecological niches with epiphytic lichen transplants in an old-growth *Pseudotsuga* forest. Bryologist 107 (2) : 163-172 ; 82 (7) : 970-982
- 12 - APTROOT A. - "Lichens in Veere : 115 sortes sur un kilomètre carré". [en néerlandais]. Buxbaumiella 66 : 50-52
- 13 - APTROOT A. - Redisposition of some, mostly pyrenocarpous, lichens described by Zahlbruckner from Taiwan. Symbolae Botanicae Upsaliensis 34 (1) : 31-38
- 14 - APTROOT A. & BERG M.P. - Collembola help lichens in competition with algae. Lichenologist 36 (2) : 167-169
- 15 - APTROOT A. & SPARRIUS L.B. - "Lichens récoltés au cours de la rencontre de l'automne 2003 dans l'Est du Nord-Brabant". [en néerlandais]. Buxbaumiella 66 : 40-43
- 16 - APTROOT A. & SPARRIUS L.B. - "Lichens des murs d'une église et sur des tombes aux Liemers (Province du Gelderland, Hollande)". [en néerlandais]. Buxbaumiella 66 : 53-58
- 17 - APTROOT A. & Van HERK C.M. - *Caloplaca brittanica* common in non maritime environments. Lichenologist 36 (3- 4) : 261-263
- 18 - ARAGÓN G., MARTÍNEZ I. & OTALORÁ M.A.G. - The lichen *Leptogium subaridum*, a new Mediterranean - NW American disjunction. Lichenologist 36 (2) : 163-165
- 19 - ARAGÓN G., MARTÍNEZ I. & OTALORÁ M.A.G. - New data on the distribution of *Leptogium azureum* (Swartz) Mont. - Lichenologist 36 (5) : 345-349
- 20 - ARAGÓN G. & OTALORA M.A.G. - Ecological and chlorological novelties of the genus *Leptogium* in the Iberian Peninsula. Nova Hedwigia 78 (3-4) : 353-366
- 21 - ARAGÓN G., SARRIÓN F.J. & MARTÍNEZ I. - Epiphytic lichens on *Juniperus oxycedrus* L. in the Iberian Peninsula. Nova Hedwigia 78 (1-2) : 45-56
- 22 - ARAKAWA-KOBAYASHI S. & KANASEKI T. - A study of lipid secretion from the lichen symbionts, ascomycetous fungus *Myelochroa leucotyiza* and green alga *Trebouxia* sp. Journal of Structural Biology 146 : 401-415
- 23 - ARCHER A.W. - Additional new species in the lichen family Graphidaceae (lichenized Ascomycota) from the Salomon Islands. Mycotaxon 89 (2) : 321-329
- 24 - ARCHER A.W. - The lichen genera *Cyclographina*, *Diplogramma*, *Glyphis*, *Gymnographa*, *Medusulina*, *Sarcographa* and *Sarcographina* (Graphidaceae) in Australia. Telopea 10 (2) : 589-605
- 25 - ARCHER A.W. - Additions to the lichen flora of Fiji and Vanuatu based on Graphidaceae in the F.R.M. Wilson Collection at the National Herbarium of New South Wales. Telopea 10 (4) : 771-776
- 26 - ARNERUP J., HÖGBERG N. & THOR G. - Phylogenetic analysis of multiple loci reveal the population structure within *Letharia* in the Caucasus and Morocco. Mycological Research 108 (3) : 311-316
- 27 - ARTICUS K. - *Neuropogon* and the phylogeny of *Usnea* sl. (Parmeliaceae, Lichenized Ascomycetes). Taxon 53 (4) : 925-934
- 28 - ARUP U. - Three overlooked *Lecidea* species in Sweden. Symbolae Botanicae Upsaliensis 34 (1) : 39-48
- 29 - ASK P. & NILSSON S.G. - Stand characteristics in colour- infrared aerial photographs as indicators of epiphytic lichens. Biodiversity and Conservation 13 : 529-542
- 30 - AZAMI N., SERIÑÁ E. & ARROYO R. - The *Usnea* species of Morocco in R.-G. Werner's Herbarium. Bryologist 107 (2) : 180-188
- 31 - BACKOR M. & DZUBAJ A. - Short-term and chronic effects of copper, zinc and mercury on the chlorophyll content of four lichen photobionts and related alga. Journal of the Hattori Botanical Laboratory 95 : 271-284
- 32 - BACKOR M. & FAHSEL D. - Physiological attributes of the lichen *Cladonia pleurota* in heavy metal - rich and control sites near Sudbury (Ont., Canada). Environmental and Experimental Botany 52 : 149-159
- 33 - BACKOR M. & FAHSEL D. - Using EDX-microanalysis and X-ray mapping to demonstrate metal uptake by lichens. Biologia, Bratislava, 59 : 39-45
- 34 - BACKOR M., FAHSEL D. & WU C.T. - Free proline content is positively correlated with copper tolerance of the lichen photobiont *Trebouxia erici* (Chlorophyta). Plant Science 167 : 151-157
- 35 - BALTZO D.E. - *Scoliciosporum sarothamni* (Vain.) Vezda, new to California. Bulletin of the California Lichen Society 11 : 7-9
- 36 - BANDO M. - Cultivation of lichens under experimental conditions. Lichenology 2 : 167-172
- 37 - BANNISTER P., BANNISTER J.M. & BLANCHON D.J. - Distribution, habitat and relation to climatic factors of the lichen genus *Ramalina* in New Zealand. New Zealand Journal of Botany 42 (1) : 121-138

- 38 - BARKLEY T.M., DePRIEST P., FUNK V., KIGER R.W., KRESS W.J. & MOORE G. - Linnaean nomenclature in the 21st century. A report from a workshop on integrating traditional nomenclature and phylogenetic classification. *Taxon* 53 () : 153-158
- 39 - BARKLEY T.M., DePRIEST P., FUNK V., KIGER R.W., KRESS W.J., MacNEILL J., MOORE G., NICOLSON D.H., STEVENSON D.W. & WHELLER Q.D. - A review of the International Code of Botanical Nomenclature with respect to its compatibility with phylogenetic classification. *Taxon* 53 () : 159-161
- 40 - BARTÁK M., HÁJEK J., VRÁBLIKOVÁ & DUBOVÁ J. - High-light stress and photoprotection in *Umbilicaria antarctica* monitored by chlorophyll fluorescence imaging and changes in zeaxanthin and glutathione. *Plant Biology* 6 (3) : 333-341
- 41 - BAYEROVÁ S., HALDA J., LISKA J. & UHLIK P. - "*Rhizocarpon ridescens* et *Verrucaria ochrostoma*, deux espèces nouvelles pour la Tchéquie". [en tchèque]. *Bryonora* 33 : 26-27
- 42 - BAYEROVÁ S., HALDA J., LISKA J. & UHLIK P. - "Contribution à la connaissance de la flore des lichens des Monts Krusne (Tchéquie)". [en tchèque]. *Bryonora* 33 : 28-35
- 43 - BAYEROVÁ S. & KUKWA M. - New records of leprarioid lichens in the Czech Republic. *Biológia [Bratislava]* 59 : 19-23
- 44 - BELLEMÈRE A. & BELLEMÈRE C. - Eléments de bibliographie lichénologique, année 2002 (compléments). *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : 49-55
- 45 - BELLEMÈRE A. & BELLEMÈRE C. - Eléments de bibliographie lichénologique, année 2003. *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : 57-73
- 46 - BELLEMÈRE A. et BELLEMÈRE C. - Eléments de bibliographie lichénologique, année 2003 (Compléments). *Bulletin d'Informations de la Société Française de Lichénologie* 29 (2) : 75-83
- 47 - BENNETT J.P. & WETMORE C.M. - Proposed list of extinct, rare and/or endangered macrolichens in Wisconsin. *Mycotaxon* 89 (1) : 169-180
- 48 - BENNETT J.P. & WRIGHT D.M. - Element content of *Xanthoparmelia scabrosa* growing on asphalt in urban and rural New Zealand. *Bryologist* 107 (4) : 421-428
- 49 - BERGLUND T., HERMANSSON J., JONSSON F. & THOR G. - New records of *Phaeocalicium* in Scandinavia. *Symbolae Botanicae Upsaliensis* 34 (1) : 49-52
- 50 - BEYER C. & St. CLAIR L. - *Solorina spongiosa* : a new species record for Nevada. *Bulletin of the California Lichen Society* 11 : 1-6
- 51 - BIAZROV L.G. & ZHURBENKO M.P. - "Espèces nouvelles et rares de lichens dans les zones élevées de Khangai (Mongolie)". [en russe]. *Botanical Zhurnal* 89 (4) : 663-667
- 52 - BIELCZYK U., LACKOVICOVÁ A., FARKAS E.E., LÖKÖS L., LISKA J., BREUSS O. & KONDRATYUK S.Y. - Checklist of lichens of the Western Carpathians. /In Mirek Z. Biodiversity of the Carpathians, Vol. I, W. Szafer Institute of Botany, Krakov , 181 p./
- 53 - BJERKE J.W. - Revision of the lichen genus *Menegazzia* in Japan, including two new species. *Lichenologist* 36 (1) : 15-25
- 54 - BJERKE J.W. - Comparison of morphological, anatomical and chemical characters in *Pseudocyphellaria endochrysa* and *P. vaccina* (Lobariaceae, lichenized Ascomycota). *Annales Botanici Fennici* 41 : 27-35
- 55 - BJERKE J.W. - Reports of *Menegazzia sanguinascens* and *M. neozelandica* from Macquarie Island are referable to *M. subpertusa*. *Australasian lichenology* 54 : 20-24
- 56 - BJERKE J.W. & ELVEBAAK A. - Distribution of the lichen genus *Flavocetraria* (Parmeliaceae, Ascomycotina) in the Southern Hemisphere. *New Zealand Journal of Botany* 42 (4) : 647-656
- 57 - BLANCO O., CRESPO A., DIVAKAR P.K., ESSLINGER T.L., HAWKSWORTH D.L. & LUMBSCH H.T. - *Melanelixia* and *Melanohalea* two new genera segregated from *Melanelia* (Parmeliaceae) based on molecular and morphological data. *Mycological Research* 108 (8) : 873-884
- 58 - BLANCO O., CRESPO A., ELIX J.A., HAWKSWORTH D.L. & LUMBSCH H.T. - A molecular phylogeny and a new classification of parmelioid lichens containing *Xanthoparmelia*-type lichenan (Ascomycota, Lecanorales). *Taxon* 53 (4) : 959-975
- 59 - BLATCHLEY I. - Lichen report 2003. /In Orpington Field Club, Annual Report 2003, N° 44 : 14-17
- 60 - BOISSIÈRE J.C. & MONTAVONT J.P. - Lichens de France (XIX) : *Koerbera bififormis* Massal. et *Lecanora reuteri* Schaer. *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : 1-5
- 61 - BOUDREAU S. & PAYETTE S. - Caribou-induced changes in species dominance of lichens woodlands : an analysis of plants remains. *American Journal of Botany* 91 (3) : 422-425
- 62 - BRADWELL T. - Lichenometric dating in southeast Iceland : the size frequency approach. *Geografiska Annaler, Series A* 86 : 31-41
- 63 - BREUSS O. & TÜRK R. - *Involucropyrenium pusillum* (Verrucariaceae) - eine neue Flechtenart aus Oberösterreich. *Beiträge zur Naturkunde Oberösterreichs* 13 : 213-216
- 64 - BRICAUD O. - Aperçu de la végétation lichénique de quelques stations du Ventoux et des Monts de

- Vaucluse (Vaucluse). Bulletin d'informations de la Société Française de Lichénologie 29 (2) : 23-74
- 65 - BRICAUD O. & ROUX C. - Une nouvelle méthode d'étude des peuplements de lichens foliicoles. Cryptogamie Mycologie 25 (3) : 291-302
- 66 - BRIDGE P.D., SPOONER B.M. & ROBERTS P.J. - Reliability and use of published sequence data. New Phytologist 161 (1) : 15-17
- 67 - BRODO I.M. - George Albert Llano, 1910-1923. Bryologist 107 (3) : 388-391
- 68 - BRODO I.M. - New saxicolous *Porina* (Ascomycota, Porinaceae) from maritime rocks of Haida Gwaii (Queen Charlotte Islands) British Columbia, Canada. Bibliotheca Lichenologica 88 : 43-48
- 69 - BRODO I.M. - Message from the President. International Lichenological Newsletter 37 (2) : 1
- 70 - BRODO I.M. - Sylvia Duran Sharnoff Education Award for Lichenology. International Lichenological Newsletter 37 (2) : 10
- 71 - BUKHOV N.G., GOVINDACHARY S., EGOROVA E.A. & CARPENTIER R. - Recovery of photosystem I and II activities during re-hydration of lichen *Hypogymnia physodes* thalli. Planta 219 : 110-120
- 72 - BUNGARTZ F. - New and previously unrecorded saxicolous species of *Buellia* s.l. with one septate ascospores from the Greater Sonoran Desert Region. Mycotaxon 90 : 81-123
- 73 - BUNGARTZ F., ELIX J.A. & NASH III T.H. - The genus *Buellia* senu lato in the Greater Sonoran Desert Region : saxicolous species with one-septate ascospores containing xanthonenes. Bryologist 107 (4) : 459-479
- 74 - BUNGARTZ F. & FRYDAY A.M. - *Buellia saurina* belongs to the genus *Rhizocarpon* (Rhizocarpaceae, Lichenized Ascomycetes). Bryologist 107 (1) : 75-78
- 75 - BUNGARTZ F., GARVIE A.J. & NASH T.H. - Anatomy of the endolithic Sonoran Desert lichen *Verrucaria rubrocincta* Breuss : implications for biodeterioration and biomineralization. Lichenologist 55-73
- 76 - BUNGARTZ F. & NASH III T.H. - *Buellia turgescens* is synonymous with *Buellia badia* and must not be included in *Amandinea*. Bryologist 107 (1) : 21-27
- 77 - BUNGARTZ F. & NASH III T.H. - The *Buellia aethalea*-group in the Greater Sonoran Desert Region with reference to similar species in North America. Bryologist 107 (4) : 441-458
- 78 - BUNGARTZ F. & NASH III T.H. - *Buellia subalbula* (Nyl.) Müll. Arg. and *B. amabilis* de Lesd., two species from North America with one-septate ascospores. A comparison with *Buellia* ["*Diplotomma*"] *venusta* (Körb) Lettau. Bibliotheca Lichenologica 88 : 49-66
- 79 - BUNGARTZ F., NASH III T.H. & RYAN B.D. - Morphology and anatomy of chasmolithic versus epilithic growth : a taxonomic revision of inconspicuous saxicolous *Buellia* species from the Sonoran Desert Region generally ascribed to the "*Buellia punctata*" group. Canadian Journal of Botany 82 (4) : 540-562
- 80 - BUSCHBOM J. & MUELLER G. - Resolving evolutionary relationships in the lichen-forming genus *Porpidia* and related allies (Porpidiaceae, Ascomycota). Molecular Phylogenetics and Evolution 32 : 66-82
- 81 - CALATAYUD V., BARRENO E. & RICO V.J. - Two lichenicolous species of *Arthonia* on vagrant *Aspicilia* sp. Bibliotheca Lichenologica 88 : 67-78
- 82 - CALDIZ M.S. - Seasonal growth pattern in the lichen *Pseudocyphellaria berberina* in north-western Patagonia. Lichenologist 36 (6) : 435-444
- 83 - CAMERON R. - A second location for the rare boreal felt lichen in Nova Scotia. Evansia 21 (1) : 40-42
- 84 - CAMPBELL J. & FREDEEN A.L. - *Lobaria pulmonaria* abundance as an indicator of macrolichen diversity in interior Cedar-Hemlock forests of east-central British Columbia. Canadian Journal of Botany
- 85 - CHAVES J.L., LÜCKING R., SIPMAN H.J.M., UMAÑA L. & NAVARRO E. - A first assessment of the Ticholichen biodiversity inventory in Costa Rica : the genus *Dictyonema* (Polyporales, Atheliaceae). Bryologist 107 (2) : 242-249
- 86 - CHILTON R. & ORVOS D. - Bioaccumulation of mercury in lichen (*Hypogymnia physodes*) near a coal-fired power plant. Southeastern Biology 51 : 151-152
- 87 - CHRISTENSEN S.N. - Epilithic lichen vegetation of corrugated asbestos-cement roof tiles in the Copenhagen area. Graphis Scripta 15 : 7-13
- 88 - CIURCHEA M. - Determinatorul lichenilor din România. Editura BIT, Sirues, Romania, 488 pages
- 89 - CLERC P. - Notes on the genus *Usnea* Adanson. Bibliotheca Lichenologica 88 : 79-90
- 90 - CLERC P. - Les champignons lichénisés de Suisse - Catalogue bibliographique complété par des données sur la distribution et l'écologie des espèces. Cryptogamica Helvetica 19 : 1-320
- 91 - COLE M.S. & HAWKSWORTH D.L. - *Lichenocodium christiansenii* sp. nov. from *Nodobryoria abbreviata* (Parmeliaceae) in the Pacific Northwest, with a key to the known lichenicolous species. Lichenologist 36 (1) : 1-6

- 92 - COPPINS B. - The history of lichenology in Scotland. British Lichen Society Bulletin 94 : 12-17
- 93 - COPPINS S. - Lichens of western Scottish hazelwood. British Lichen Society Bulletin 94 : 19-21
- 94 - COPPINS B.J. & SPRIBILLE T. - *Micarea subalpina* Coppins et Spribille, a new subalpine species from the Rocky Mountains, USA. Lichenologist 36 (2) : 97-102
- 95 - CORDEIRO L.M.C., IACOMINI M. & STOCKER-WÖRGÖTTER E. - Culture studies and secondary compounds of six *Ramalina* species. Mycological Research 108 (5) : 489-497
- 96 - CRESPO A., BLANCO O., LLIMONA X., FERENCOVÁ Z. & HAWKSWORTH D.L. - *Coscinocladium*, an overlooked endemic and monotypic mediterranean lichen genus of Physciaceae, reinstated by molecular phylogenetic analysis. Taxon 53 (2) : 405-414
- 97 - CRESPO A., DIVAKAR P.K., ARGÜELLO A., GASCA C. & HAWKSWORTH D.L. - Molecular studies on *Punctelia* species of the Iberian Peninsula, with an emphasis on specimens newly colonizing Madrid. Lichenologist 36 (5) : 299-308
- 98 - CUBERO O.F., CRESPO A., ESSLINGER T.L. & LUMBSCH H.T. - Molecular phylogeny of the genus *Physconia* (Ascomycota, Lecanorales) inferred from Bayesian analysis of nuclear ITS rDNA sequences. Mycological Research 108 (5) : 498-505
- 99 - CUNY D., Van HALUWYN C., SHIRALI P., ZERIMECH F., JÉRÔME L. & HAGUENOER J.M. - Cellular impact of metal trace elements in terricolous lichen *Diploschistes muscorum* (Scop.) R. Sant. - Identification of oxidative stress biomarkers. Water, Air and Soil Pollution 152 : 55-69
- 100 - CZARNOTA P. & KUKWA M. - Some sorediate lichens and lichenicolous fungi new to Poland. Graphis Scripta 15 : 24-32
- 101 - CZECZUGA B., CZECZUGA-SEMENIUK E., GALUN M. & MUKHTAR A. - Pigmentation changes in *Xanthoria parietina* (L.) Th. Fr. Journal of the Hattori Botanic Laboratory 95 : 293-300
- 102 - CZECZUGA B., CZECZUGA-SEMENIUK E & HAMMER S. - Carotenoids in the thalli of *Cladonia grayii* Merrill from sites of varied degrees of insolation. Journal of the Hattori Botanic Laboratory 95 : 285-291
- 103 - CZECZUGA B., CZECZUGA-SEMENIUK E., VITIKAINEN D. & AHTI T. - Carotenoids from green-algae and cyanobacteria as phyco- and photobionts of *Peltigera* species. Journal of the Hattori Botanical Laboratory 96 : 281-290
- 104 - DAILLANT O. - Les lichens, intégrateurs de tritium et de carbone 14. Bulletin d'Informations de l'Association Française de Lichénologie 29 (1) : 7-29
- 105 - DAILLANT O., KIRCHNER G., PIGRÉE G. & PORSTENDÖRFER J. - Lichens as indicators of tritium and radiocarbon contamination. Science of the Total Environment 323 : 253-262
- 106 - DALBY D.H. & DALBY C. - Lichens in Shetland cemeteries. British Lichen Society Bulletin 94 : 32-34
- 107 - DARIENKO T.M., VOYTSEKHOVITCH A.O. & KONDRATYUK S.Y. - "Les photobiontes de quelques représentants des Teloschistaceae". [en ukrainien, résumé en anglais]. Ukrainian Botanical Journal 61 (2) : 49-59 (9 fig.)
- 108 - DAVEY S. - Report of the *Graphidion* workshop Connel Bridge, Argyll 25th to 30th May 2003. British Lichen Society Bulletin 94 : 45-61
- 109 - DEMIRBAS A. - Trace element concentrations in ashes from various types of lichen biomass species. Energy Sources 26 : 499-506
- 110 - DIEDERICH P., Van den BROEK D., ERTZ D., HEYLEN O., JORDAENS D. & SÉRUSIAUX E. - Report on two lichenological field meetings in the province of Luxembourg in Belgium. Bulletin de la Société des Naturalistes luxembourgeois 105 : 57-64
- 111 - DÖBBELER P. & FEUERER T. - *Stenocybe nitida* (Mycocaliciales) an unusual ascomycete on *Plagiochila punctata*. Bibliotheca Lichenologica 88 : 91-102
- 112 - DÖBBELER P. & RAMBOLD G. - Contributions to Lichenology. Festschrift in Honour of Hannes Hertel. Bibliotheca Lichenologica 88 : 1-739
- 113 - DOBSON F.S. - More thoughts on spot tests. British Lichen Society Bulletin 94 : 65-67
- 114 - EDWARDS T.C.Jr., CUTLER D.R., GEISER L., ALEGRIA J. & Mac KENZIE D. - Assessing rarity of species with low detectability : lichens in Pacific Northwest forests. Ecological Applications 14 : 414-424
- 115 - EKMAN S. & TØNSBERG T. - *Scoliciosporum*. /In Nash T.H. III, Ryan B.D., Diederich P., Gries C. & Bungartz F./ Lichen flora of the Greater Sonoran Desert Region 2 : 504-505
- 116 - ELIX J.A. - New species and new records of *Xanthoparmelia* (lichenized Ascomycota, Parmeliaceae) from eastern Australia. Lichenologist 36 (5) : 277-287
- 117 - ELIX J.A. - Two new species of *Imshaughia* (Ascomycota, Parmeliaceae) from South America. Mycotaxon 90 (2) : 337-341
- 118 - ELIX J.A. & Mac CAFFERY L.F. - 2'-O-methyllecanoric acid et 2-O-methyllecanoric, two new depsidones from *Hypotrachyna everniiformis*. Australasian Lichenology 54 : 4-7

- 119 - ELIX J.A. & ØVSTEDAL D.O. - A new *Lecanora* species from the Arctic with a remarkable chemistry
Graphis Scripta 15 : 57-59
- 120 - ELIX J.A. & ROGERS R.W. - New species and new records of *Parmotrema* (Parmeliaceae, lichenized
Ascomycota) from Queensland, Australia. Australasian Lichenology 54 : 14-18
- 121 - ELIX J.A., TØNSBERG T. & WARDLAW J.H. - The structure of friesiic acid, a novel lichen substance
from *Hypocenomyce friesii*. Bibliotheca Lichenologica 88 : 103-109
- 122 - ELLIS C.J. - The lichen ecology of aspen woods—preliminary analysis. British Lichen Society Bulletin
94 : 23-27
- 123 - ELLIS C.J., CRITTENDEN P.D. & SCRIMGEOUR C.M. - Soil as potential source of nitrogen for mat-
forming lichens. Canadian Journal of Botany 82 (1) : 145-149
- 124 - ENGLER R. - Présentation de l'Association Lichénologique de l'Hérault. Bulletin d'informations de la
Société Française de Lichénologie 29 (2) : 22
- 125 - ERTZ D. & DIEDERICH P. - Revision of *Trimmatothela* (Verrucariaceae) and description of *Oevstedalia*
for *Trummatothelopsis antarctica*, a new lichen genus with true ascoconidia. Mycological Progress
3 (3) : 229-236
- 126 - ERTZ D., DIEDERICH P. & MIADLIKOVSKA J. - The lichenicolous *Opegrapha* species (Roccellaceae,
Ascomycota) with 3-septate ascospores on *Pertusaria* and *Ochrolechia*. Botanical Journal of the
Linnean Society 144 : 235-241
- 127 - ERTZ D. & DUUVIER J.-P. - Flore et végétation lichéniques de la vallée de l'Eau d'Heure (Belgique).
Lejeunia 176 : 1-20
- 128 - ESSLINGER T.L. - Recent literature on lichens. 192. Bryologist 107 (1) : 111-121
- 129 - ESSLINGER T.L. - Recent literature on lichens. 193. Bryologist 107 (2) : 250-261
- 130 - ESSLINGER T.L. - Recent literature on lichens. 194. Bryologist 107 (3) : 406-417
- 131 - ESSLINGER T.L. - Recent literature on Lichens. 195. Bryologist 107 (4) : 566-582
- 132 - ESSLINGER T.L. - A new north-american species in the lichen genus *Physcia* (Ascomycota) with a
unique thallus morphology. Mycotaxon 90 (2) : 301-306
- 133 - ETAYO J. & OSARIO H.S. - Algunos hongos liquenícolas de Sudamérica especialmente del Uruguay.
Comunicaciones botánicas, Museo nacional de Historia natural y Antropología, Montevideo,
Uruguay, VI, 129 : 1-19
- 134 - EVERSMAN S. & HORTON D. - Recolonization of burned substrates by lichens and mosses in
Yellowstone National Park. Northwest Science 78 : 85-92
- 135 - FARKAS E. - Recent additions to the knowledge of the foliicolous lichen flora of South Africa.
Bibliotheca Lichenologica 88 : 111-125
- 136 - FAVERO-LONGO S.E., ISOCRONO D. & PIERVITTORI R. - Lichens and ultramafik rocks : a review.
Lichenologist 36 (6) : 391-404
- 137 - FERRARO L.I. - Morphological diversity in the hyphophores of Gomphillaceae (Ostropales, lichenized
Ascomycetes). Fungal Diversiy 15 : 153-169
- 138 - FLENNINKEN D.G. - New records for *Myelochroa metarevoluta* (Asahina) Hale in Ohio. Evansia 21
: 37
- 139 - FOLLMANN G. & WERNER B.C. - Schedae ad Lichenes Exsiccati Selecti ab Instituto Botanico
Universitatis Coloniensis Editi XXVII. Fasciculus N° 521-540. Herbarium, Instituti Botanici
Universitatis Coloniensis, Cologne
- 140 - FOUCARD T. - A lichen flora inventory in a 30 km² large area in central Uppland, Sweden. Symbolae
Botanicae Upsaliensis 34 (1) : 53-61
- 141 - FRÖDÉN P. & LASSEN P. - Typification and emendation of *Seiropora* Poelt to include species
segregated from *Teloschistes* Norman. Lichenologist 36 (5) : 289-298
- 142 - FRYDAY A.M. - Lichens of the Scottish Mountains. British Lichen Society Bulletin 94 : 4-7
- 143 - FRYDAY A.M. - The Michigan State University Lichen Database Project. International Lichenological
Newsletter 37 (1) : 26-27
- 144 - FRYDAY A.M. - A new species of *Fuscopannaria* with a green photobiont, and other taxonomic
innovations and records of lichenized-fungi from Alaska. Bryologist 107 (2) : 173-179
- 145 - FRYDAY A.M. - A re-assessment of the genus *Gongylia* in North America, and a new species of
Protothelenella from Colorado. Bryologist 107 (2) : 231-233
- 146 - FRYDAY A.M. - New species and records of lichenized fungi from Campbell Island and the Aucklan
Islands, New Zealand. Bibliotheca Lichenologica 88 : 127-146
- 147 - FRYDAY A.M. & COPPINS B.J. - A reassessment of the genera *Chromatochlamys* and *Thelenella*,
a new species of *Strigula* from the British Isles. Lichenologist 36 (2) : 89-95
- 148 - FRYDAY A.M., WEBER B., BUNGARTZ F., PETERSON E. & BENNETT J. - /Discussion : Dead elks
and toxic lichens/. International Lichenological Newsletter 37 (1) : 22-24

- 149 - FUJIWARA A., HARA K., YOSHIMURA I., ELIX J.A. & YAMAMOTO Y. - Molecular phylogeny of the lichen genus *Anzia* and *Pannoparmelia*. *Lichenology* 2 : 179
- 150 - GIGNON M., MARTIN B. & MARTIN J.L. - *Tremella ramalinae* Diederich, première récolte en France. *Bulletin mensuel de la Société linnéenne de Lyon*. 73 (5) : 195-198
- 151 - GAIO-OLIVEIRA G., DAHLMAN L., PALMQVIST K. & MAGUAS C. - Ammonium Uptake in the nitrophytic lichen *Xanthoria parietina* and its effects on vitality and balance between symbionts. *Lichenologist* 36 (1) : 75-86
- 152 - GALLOWAY D.J. - New lichen taxa and names in the New Zealand mycobiota. *New Zealand Journal of Botany* 42 : 105-120
- 153 - GALLOWAY D.J. - *Placopsis hertelii* (Agryriaceae, Ascomycota) endemic to New Zealand with description of four additional new species of *Placopsis* (Nyl.) Linds. from New Zealand. *Bibliotheca Lichenologica* 88 : 147-161
- 154 - GALLOWAY D.J. - The Swedish connection in New Zealand lichenology, 1769-2004. *Symbolae Botanicae Upsaliensis* 34 (1) : 63-85
- 155 - GALLOWAY D.J. - Lichens in our landscape. *Te Taiao* 3 : 8-9
- 156 - GAMS W. - Report of the Committee for Fungi 11. *Taxon* 53 (4) : 1067-1069
- 157 - GAUSLAA Y. & SOLHAUG K.A. - Photoinhibition in lichens depends on cortical characteristics and hydration. *Lichenologist* 36 (2) : 139-143
- 158 - GAVÉRIAUX J.-P. - Sortie lichénologique dans les remparts de Le Quesnoy (sortie d'initiation). *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : 31-38
- 159 - GAVÉRIAUX J.-P. - *Xanthoria polycarpa* (Photo). *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : couverture
- 160 - GAVÉRIAUX J.-P. - Le microscope et son utilisation en lichénologie - 3^{ème} partie : réglage, nettoyage et micrométrie. *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) : 39-48
- 161 - GERHOLD R. - Wyoming elk mortality. *SCWDS Briefs* 20 : 1-2
- 162 - GILBERT O.L. - The phenology of *Sarcosagium campestre* observed over three years. *Lichenologist* 36 (2) : 159-161
- 163 - GILBERT O. - *The Lichen Hunters*. The Book Guild, London
- 164 - GOMBERT S., ASTA J. & SEAWARD M.R.D. - Assessment of lichen diversity of index of atmospheric purity (IAP), index of human impact (IHI) and other environmental factors in an urban area (Grenoble, southeast France). *Science of the Total Environment* 324 : 183-199
- 165 - GRILLO M. & CANIGLIA G.M. - A checklist of Iblean Lichens (Sicily). *Flora mediterranea* 14 : 219-251
- 166 - GRILLO M. & CANIGLIA G.M. - I licheni epifiti del settore nordorientale degli Iblei (Sicilia orientale). *Allionia* [sous presse]
- 167 - GRUBE M. - Lichenology since the turn of the millenium. *International Lichenological Newsletter* 37 (1) : 15-22
- 168 - GRUBE M., BALOCH E. & ARUP U. - A phylogenetic study of the *Lecanora rupicola* group (Lecanoraceae, Ascomycota). *Mycological Research* 108 (5) : 506-514
- 169 - GRUBE M., BALOCH E. & LUMBSCH H.T. - The phylogeny of Porinaceae (Ostropomycetidae) suggests a neotonic origin of perithecia in Lecanoromycetes. *Mycological Research* 108 (10) : 1111-1118
- 170 - GRUBE M., LÜCKING R. & UMAÑA-TENORIO L. - A new isidiate species of *Arthonia* (Ascomycetes) from Costa Rica. *Mycologia* 96 (5) : 1159-1162
- 171 - GRUBE U., MAYRHOFER H. & ELIX J.A. - Two new *Buellia* species (Physciaceae, Lecanorales) with red pigments from Australia. *Bibliotheca Lichenologica* 88 : 163-173
- 172 - GUILLOUX F. - Assemblée générale annuelle du 25 février 2004 de l'AFL à Fontainebleau et résultats des élections. *Bulletin d'Informations de l'Association Française de Lichénologie* 29 (1) :
- 173 - GUNNARSON B., HAKE M. & HULTENGREN S. - A functional relationship between species richness of spiders and lichen in spruce. *Biodiversity and Conservation* 13 (4) : 685-693
- 174 - GUSTAFSSON L., APPELGREN L., JONSSON F., NORDIN U., PERSSON A. & WESLIEN J.-O. - High occurrence of red-listed bryophytes and lichens in mature managed forests in boreal Sweden. *Basic and Applied Ecology* 5 : 123-129
- 175 - GUTTOVÁ A. & LACKOVICOVÁ A. - "*Xanthoria calcicola* en Slovénie". [en tchèque]. *Bryonora* 33 : 20-21
- 176 - HAFELLNER J. - A revision of *Maronella laricina* and *Piccolia ochrophora*. *Symbolae Botanicae Upsaliensis* 34 (1) : 87-96
- 177 - HAFELLNER J. - Notes on *Scoliciosporum intrusum*. *Fritschiana* (Graz) : 45 : 29-41
- 178 - HAFELLNER J. - A further evolutionary lineage to lichenicolous growth in Physciaceae (Lecanorales). *Bibliotheca Lichenologica* 88 : 175-186

- 179 - HAFELLNER J., KOCOURKOVÁ J. & OBERMAYER W. - Records of lichenicolous fungi from the northern Schladminger Tauern (Eastern Alp, Austria, Styria). *Herzogia* 17 : 59-66
- 180 - HALAMSKY A.T. - [Revue] Josef Motyka Lichens I (1995), II (1996), III (1996), IV (1996), V Atlas Planches 2002 (Motyka et al.). *Bulletin mensuel de la Société linnéenne de Lyon* 73 (4) : 155
- 181 - HAN D., MATSUMARU K., RETTORI D. & KAPLOWITZ N. - Usnic acid-induced necrosis of cultured mouse hepatocytes : inhibition of mitochondrial function and oxidative stress. *Biochemical Pharmacology* 67 : 439-451
- 182 - HANSEN E.S. - New or interesting Greenland lichens VII. *Cryptogamie Mycologie* 25 (1) : 83-90
- 183 - HANSEN E.S. - Notes on some new and interesting Greenland lichens. VI. *Graphis Scripta* 15 : 1-6
- 184 - HANSEN E.S. - An initial study of lichen growth on boulders and rocks near the Mittivakkat Gletscher, South East Greenland. *Graphis Scripta* 15 : 33-36
- 185 - HANSEN E.S. - Liqueenes Groenlandici Exsiccati, a Museo Botanico blauniense Distributae Fasc. 23 (n^{os} 851-875), Fasc. 24 (n^{os} 876-900), Fasc. 25 (n^{os} 901-925). *Botanica Museum, University of Copenhagen, Copenhagen Denmark*. 43 pages
- 186 - HANSEN E.S. & LUND P.M. - The lichen flora and reindeer grazing in the Isortog area, South West Greenland. *Folia Cryptogamica Estonica* 40 : 7-14
- 187 - HARADA H. - Revision of marine and maritime species of *Verrucaria* in Japan. *Lichenology* 2 : 177
- 188 - HARADA H., OKAMOTO T. & YOSHIMURA I. - A checklist of lichens and lichen-allies of Japan. *Lichenology* 2 : 1-165
- 189 - HARADA H. & WANG L.-S. - Diversity of lichens in Yunnan. *Lichenology* 2 : 173
- 190 - HÄRKÖNEN M. & VÄNSKÄ H. - Corticolous myxomycetes and lichens in the Botanical Garden in Helsinki, Finland : a comparison after decades of recovering from air pollution. *Systematics and Geography of Plants* 74 : 183-187
- 191 - HARRIS R.C. - A preliminary list of the lichens of New York. *Opuscula Philolichenum* 1 : 55-73 + 4 appendices
- 192 - HASHIMOTO M., KOBAYASHI Y., MATSUO R. & NAKASHIMA H. - A genetic study of chilling tolerance in lichens. *Lichenology* 2 : 180
- 192 - HAUGEN P., REEB V., LUTZONI F. & BHATTACHARYA D. - The evolution of homing endonuclease genes and group I introns in nuclear rDNA. *Molecular Biology and Evolution* 21 : 129-140
- 194 - HAWKSWORTH D.L. - Fungi living on lichens : a source of unexplored diversity. *British Wildlife* 15 : 192-199
- 195 - HAWKSWORTH D.L. - 'Misidentifications' in fungal DNA sequence databanks. *New Phytologist* 161 : 13-15
- 196 - HAWKSWORTH D.L. - A fourth site for *Cyphelium notarisii* (Physciaceae) in Spain. *Lazaroa* 25 : 89-91
- 197 - HAWKSWORTH D.L. - New Acharius medallists : Marie-Agnès Letrouit. *International Lichenological Newsletter* 37 (2) : 5-6
- 198 - HAWKSWORTH D.L., ATIENZA V. & COLE M.S. - Lichenicolous species of *Homostegia* (Dothideomycetes) with the description of *H. hertelis* sp. nov. a new fungus on *Flavoparmelia* species. *Bibliotheca Lichenologica* 88 : 187-194
- 199 - HAWKSWORTH D.L. & COLE M.S. - *Phoma fuliginosa* sp. nov. from *Caloplaca trachyphylla* in Nebraska with a key to the known lichenicolous species. *Lichenologist* 36 (1) : 7-13
- 200 - HEDENAS H. & ERICSON L. - Aspen lichens in agricultural and forest landscapes : the importance of habitat quality. *Ecography* 27 : 521-531
- 201 - HENSSEN A. - *Hertella neozelandica* and *Zahlbrucknerella compacta* (Ascomycotina) two new cyanophilic lichens from the southern hemisphere. *Bibliotheca Lichenologica* 88 : 195-200
- 202 - HERMANSSON J. & PYSTINA T. - Calicioid lichens and fungi in the Komi Republic, Russia. *Symbolae Botanicae Upsaliensis* 34 (1) : 97-105
- 203 - HERMANSSON J. & THOR G. - *Bryoria tortuosa* discovered as new to Sweden. *Graphis Scripta* 15 : 39-41
- 204 - HERMANSSON J. & THOR G. - *Byssoloma subdiscordans* and *Usnea substerilis* new to Sweden. *Graphis Scripta* 15 : 42-44
- 205 - HERMANSSON J. & THOR G. - "Deux lichens nouveaux pour la Suède trouvés dans le Parc National Fulufjället". [en suédois]. *Fauna och Flora* 99 : 20-22
- 206 - HERRERA-CAMPOS M.D.L.A., LÜCKING R., PEREZ R.-E., CAMPOS A., COLÍN P.M. & PEÑA A.B. - The foliicolous lichen flora of Mexico. V Biogeographical affinities, altitudinal preferences and an updated checklist of 293 species. *Lichenologist* 36 (5) : 309-327
- 207 - HESTMARK G., SKOGESAL O. & SKULLERUD Ø. - Growth in the alpine saxicolous lichens *Allantoparmelia alpicol* and *Melania stygia*. *Nova Hedwigia* 78 (3-4) : 301-305

- 208 - HESTMARK G., SKOGESAL O. & SKULLERUD Ø. - Growth, reproduction, and population structure in four alpine lichens during 240 years of primary colonization. *Canadian Journal of Botany* 82 (9) : 1356-1362
- 209 - HILTY J.H., ELDRIDGE D.J., ROSENTERETER R., WICKLOW-HOWARD M.C. & PELLANT M. - Recovery of biological soil crusts following wildfire in Idaho. *Journal of Range Management* 57 : 89-96
- 210 - HOLST-JENSEN A., VRÅLSTAD T. & SCHUMACHER T. - On reliability. *New Phytologist* 161 (1) : 11-13
- 211 - HONEGGER R. - Fine structure of the interaction of *Leprocaulon muroscopicum* with its green algal photobiont, *Dictyochloropsis symbiotica*. *Bibliotheca Lichenologica* 88 : 201-210
- 212 - HONEGGER R., ZIPPLER U., GANSNER H. & SCHERRER S. - Mating systems in the genus *Xanthoria* (lichen-forming ascomycetes). *Mycological Research* 108 (5) : 480-488
- 213 - HONEGGER R., ZIPPLER U., SCHERRER S. & DYER P.S. - Genetic diversity in *Xanthoria parietina* (L.) Th. Fr. (lichen-forming ascomycete) from world wide locations. *Lichenologist* 36 (6) : 381-390
- 214 - HOPE J. - *Bryoria furcellata* and landscape modelling in Glen Affric. *British Lichen Society Bulletin* 94 : 21-22
- 215 - HORIGOME K., HARA K., KOMINE M., DOI S. & YAMAMOTO Y. - Growth inhibition activity of wood decaying fungi in lichens. *Lichenology* 2 : 182
- 216 - HUANG M.-R. & WEI J.-C. - Three new taxa of *Stereocaulon* from China. *Mycotaxon* 90 (2) : 469-472
- 217 - HULTENGREN S. & GRALÉN H. - Recovery of the epiphytic lichen flora following air quality improvement in south-west Sweden. *Water, Air and Soil Pollution* 154 : 203-211
- 218 - HUNECK S. - Prof. Dr. H. Hertel. *Lichenology* 2 : 185
- 219 - HUNECK S., LUMBSCH H.T., PORZEL A. & SCHMIDT J. - Die Verteilung von Flechtenhaltstoffen in *Lecanora muralis* und *Lecidea inops* und die Abhängigkeit der Usninsäure-Konzentration vom Substrat und von den Jahreszeiten bei *Lecanora muralis*. *Bibliotheca Lichenologica* 88 : 211-221
- 220 - HYERCZYK R.D. - The lichen flora of ten Chicago parks : the Chicago Park District, Chicago, Illinois. *Transactions of the Illinois State Academy of Science, Supplement* 97 : 44
- 221 - IHLEN P.G. - A new species of *Lichenostigma* (Lichenotheliaceae, Arthoniales) from Scandinavia. *Lichenologist* 36 (3-4) : 183-189
- 222 - IHLEN P.G. - Taxonomy of the non-yellow species of *Rhizocarpon* (Rhizocarpaceae, lichenized Ascomycota) in the nordic countries with hyaline and muriform ascospores. *Mycological Research* 108 (5) : 533-570 + [Erratum - *Mycological Research* 108 (7) : 850]
- 223 - IHLEN P.G. & FRIDAY A.M. - *Rhizocarpon anaperum* new to Svalbard. *Lichenologist* 36 (5) : 343-344
- 224 - IHLEN P.G., HOLIEN H. & TØNSBERG T. - Two new species of *Dactylospora* (Dactylosporaceae, Lecanorales), with a key to the known species in Scandinavia. *Bryologist* 107 (3) : 357-362
- 225 - IHLEN P.G., OWE-LARSSON B. & TØNSBERG T. - *Arthonia biatoricola* sp. nov. from north-western Europe and Northern Pacific. *Symbolae Botanicae Upsaliensis* 34 (1) : 107-111
- 226 - ITTURIAGA T. & HAWKSWORTH D.L. - *Skyttea richardsonii* sp. nov. from Maine with a key to the species known from North America. *Mycologia* 96 (4) : 925-928
- 227 - JAHNS H.M., HARDT K. & OTT S. - Sexual reproduction and growth-pattern *Cladonia rangiferina*, pp. *Bibliotheca Lichenologica* 88 : 223-228
- 228 - JARIANGPRASERT S., ARCHER A.W. & ANUSARNSUNTHORN V. - Further new species in the genus *Pertusaria* (lichenized Ascomycota) from Thailand. *Mycotaxon* 89 (1) : 123-129
- 229 - JASAN R.C., VERBURG T.G., WOLTERBEEK H.T., PLÁ R.R. & PIGNATA M.L. - On the use of the lichen *Ramalina celastri* (Spreng.) Krog & Swinsc. as an indicator of atmospheric pollution in the province of Córdoba, Argentina, considering both lichen physiological parameters and element concentrations. *Journal of Radioanalytical and Nuclear Chemistry* 259 : 93-97
- 230 - JONESON S. & GLEW K. - *Acrosyphus sphaerophoroides* (Ascomycotina, Caliciaceae) found in Western Washington. *Douglasia* 28 : 2-3
- 231 - JONESON S., KASHIWADANI H., TSCHABANENKO S. & GAGE S. - *Ramalina* in the Kuril Islands. *Bryologist* 107 (1) : 98-106
- 232 - JØRGENSEN P.M. - Further contributions to the Pannariaceae (lichenized Ascomycetes) of the southern hemisphere. *Bibliotheca Lichenologica* 88 : 229-253
- 233 - JØRGENSEN P.M. - More, new asian species in the lichen genus *Fuscopannaria*. *Lichenologist* 36 (3-4) : 207-212
- 234 - JØRGENSEN P.M. - Rankless names in the Code ?. *Taxon* 53 (1) : 162
- 235 - JØRGENSEN P.M. - Nomenclatural notes on *Biatoridium* (Körb.) (lichenized ascomycetes). *Taxon* 53 (2) : 521-522
- 236 - JØRGENSEN P.M. - The first yellow *Pannaria* species (lichen. asco.). *Nova Hedwigia* 79 (3-4) : 537-539

- 237 - JØRGENSEN P.M. - Additional lichen records from Australia 53. *Kroswia crystallifera* P.M. Jørg. and *Pannaria molkenboeri* Mont. et Bosch. Australasian Lichenology 54 : 25
- 238 - JØRGENSEN P.M. - *Psoroma tenue* var. *boreale* an overlooked, widespread arctic-alpine lichen. Graphis Scripta 15 : 60-64
- 239 - JØRGENSEN P.M. - The nomenclature of *Umbilicaria havaasii*. Graphis Scripta 16 : 16-19
- 240 - JØRGENSEN P.M. & ARDVIDSSON L. - The lichen family Pannariaceae in Ecuador. Symbolae Botanicae Upsaliensis 34 (1) : 113-132
- 241 - JØRGENSEN P.M. & PAZ-BERMUDEZ G. - (1621) - Proposal to reject the name *Hemodium pernigratum* (lichenized ascomycetes). Taxon 53 (2) : 557
- 242 - JØRGENSEN P.M. & SIPMAN H.J.M. - A revision of the *Pannaria rubiginosa* complex in South America. Nova Hedwigia 78 (3-4) : 311-327
- 243 - JOVAN S. & Mac CUNE B. Regional variation in epiphytic macrolichen Communities in Northern and Central California Forests. Bryologist 107 (3) : 328-339
- 244 - JUN R., CLÉMENT B. & ROZÉ F. - Primary succession of bryophyte and lichens communities in non-forested Atlantic coastal dunes : the exemple of the Pointe d'Arçay (France). Nova Hedwigia 78 (3-4) : 453-468
- 245 - KAINZ C. & RAMBOLD G. - A phylogenetic study of the lichen genus *Protoblastenia* (Lecanorales, Psoraceae) in Central Europe. Bibliotheca Lichenologica 88 : 267-299
- 246 - KALB K. - New or otherwise interesting lichens. II. Bibliotheca Lichenologica 88 : 301-329
- 247 - KALB K., STAIBER B. & ELIX J.A. - A monograph of the lichen genus *Diorygma* - a first attempt. Symbolae Botanicae Upsaliensis 34 (1) : 133-181
- 248 - KALDA A. & RANDLANE T. (texte) ; PAAL T. & SAAG A. (photographies) - Väike sammalde ja samblike raamat [en estonien]. AS Bit, Tallinn, Tartu, Pärnu & Jõhvi.
- 249 - KANTVILAS G. - A contribution to the Roccellaceae in Tasmania : new species and notes on *Lecanactis* and allied genera. Symbolae Botanicae Upsaliensis 34 (1) : 183-203
- 250 - KANTVILAS G. - *Cladonia tasmanica* - an extinct lichen. Australasian Lichenology 54 : 8-11
- 251 - KANTVILAS G. - A new species of *Solenopsisora* from Tasmania. Lichenologist 96 (2) : 113-117
- 252 - KANTVILAS G. & JARMAN S.J. - Lichens and bryophytes on *Eucalyptus obliqua* in Tasmania : management implications in production forests. Biological Conservation 117 : 359-373
- 253 - KANTVILAS G. & LOUWHOFF S. - A new eight-spored species of *Menegazzia* from Australia. Lichenologist 36 (2) : 103-111
- 254 - KAPPEN L. - The diversity of lichens in Antarctica, a review and comments. Bibliotheca Lichenologica 88 : 331-343
- 255 - KAPUSTA P., CZAREK-LUKASZEWSKA G. & KISZKA J. - Spatial analysis of lichen species richness in a disturbed ecosystem (Niepolomice Forest, S Poland). Lichenologist 36 (3-4) : 249-260
- 256 - KARABULUT S.N., ÖZDEMİR-TÜRK A. & JOHN V. - Lichens to monitor afforestation effects in Sanakkale, Turkey. Cryptogamie Mycologie 25 (4) : 333-346
- 257 - KÄRNEFELT I. - New books on Australian lichens. Graphis Scripta 16 : 31-32
- 258 - KÄRNEFELT I. & KONDRATYUK S.Y. - Contributions to the lichen genus *Caloplaca* (Teloschistaceae) from Australia. Bibliotheca Lichenologica 88 : 255-265
- 259 - KATO M., YAMAMOTO Y., HARA K., KOMINE M. & HAMADA H. - Biotransformation of carvone by the liquid culture of a *Cladonia vulcani* mycobiont. Lichenology 2 : 184
- 260 - KHODOSOVTSSEV A., KONDRATYUK S. & KÄRNEFELT I. - *Candelariella boikoi*, a new lichen species from Eurasia. Graphis Scripta 16 : 11-15
- 261 - KHODOSOVTSSEV A.Y., KONDRATYUK S.Y., MAKAROVA I.I. & OXNER A.N. - Handbook of the lichens of Russia 9. Fuscidaceae, Teloschistaceae [en russe]. Saint-Petersbourg : Académie des Sciences. 340 pages.
- 262 - KINOSHITA K., KOYAMA K., TAKAHASHI K., YAMAMOTO Y. & YOSHIMURA I. - The structure of fluorescent pigments from the cultured mycobiont of a lichen, *Amygdalaria panaeola* (Ach.) Hertel & Brodo. Lichenology 2 : 182
- 263 - KISZKA J. & GRODZIŃSKA K. - Lichen flora and air pollution in the Niepolomice Forest (S. Poland) in 1960-2000. Biológia [Bratislava] 59 : 25-39
- 264 - KIVISTÖ L. - New estonian records - Macrolichens. Folia Cryptogamica Estonica 40 : 64
- 265 - KNOPH J.-G. - *Cornutispora herteliana* a new lichenicolous coelomycete from Japan. Bibliotheca Lichenologica 88 : 345-348
- 266 - KNOPH J.-G., RAMBOLD J., TRIEBEL D. & KAINZ C. - /In Nash T.H. III et al. "Lichen flora of the Greater Sonoran Desert Region 2". Carbonea : 54-55
- 267 - KNUDSEN K. - A preliminary study of *Acarospora smaragdula* var. *lesdainii* in California. Opuscula Philolichenum 1 : 21-24

- 268 - KNUDSEN K. - A study of Acarosporas in the lichen flora of the Santa Cruz Peninsula by A.W.C.T. Herre. Bulletin of the California Lichen Society 11 : 10-15
- 269 - KNUDSEN K. - New lichenological journal : Opuscula Philolichenum. International Lichenological Newsletter 37 (2) : 12
- 270 - KOHLMAYER J., HAWKSWORTH D.L. & VOLKMANN-KOHLMEYER B. - Observations on two marine and maritime "borderline" lichens : *Mastodia tessellata* and *Collempsidium pelvetiae*. Mycological Progress 3 (1) : 51-56
- 271 - KONDRATYUK S.Y., KÄRNEFELT I., SØCHTING U. & ARUP U. - New species of *Xanthoria* (Teloschistaceae) from Southern Africa. Bibliotheca Lichenologica 88 : 349-362
- 272 - KOSSOWSKA M. & FABISZEWSKI J. - Threatened lichens of lower Silesia, Poland. Acta Societatis Botanicorum Poloniae 73 (2) : 139-150
- 273 - KOVALEWSKA A. & JANDO K. - *Chrysothrix flavovirens* in Poland. Graphis Scripta 15 : 51-52
- 274 - KRZEWICKA B. - The lichen genera *Lasallia* and *Umbilicaria* in the Polish Tatra Mts. Polish Botanical Studies 17 : 1-88
- 275 - KUROKI M., HARA K., FUJII H., KOMINE M. & YAMAMOTO Y. - Response to low pH conditions of the cultured lichen mycobiont of *Cetraria aculeata*. Lichenology 2 : 180
- 276 - LAKATOS M., LANGE-BERTALOT H. & BÜDEL B. - Diatoms living inside the thallus of the green algal lichen *Coenogonium linkii* in neotropical lowland rain forests. Journal of Phycology 40 : 70-73
- 277 - LAMBLEY P. - Field meeting North Cornwall October 2002. British Lichen Society Bulletin 94 : 36-44
- 278 - LAMBLEY P. & WOLSELEY P. - Lichens in a changing pollution environment. (English Nature Research Reports 525), Peterborough. 121 pages
- 279 - LANGE O.L., BÜDEL B., MEYER A., ZELLNER H. & ZOTZ G. - Lichen carbon gain under tropical conditions : water relations and CO₂ exchange of Lobariaceae species of a lower montan rainforest in Panama. Lichenologist 36 (5) 329-342
- 280 - LANGE O.L. & GREEN T.G.A. - Photosynthetic performance of the squamulose soil-crust lichen *Squamarina lentigera* laboratory measurements and long-term monitoring of CO₂ exchange in the field. Bibliotheca Lichenologica 88 : 412
- 281 - LANGE O.L. & WAGENITZ G. - Vernon Ahmadjan introduced the term "chlorolichen". Lichenologist 36 (2) : 171
- 282 - LAUNDON J.R. - Proposal (1634) to reject *Lichen dedaleus* in order to safeguard the name *Pyxine sorediata*. Taxon 53 (3) : 832
- 283 - LAY E. - Wisconsin lichens and lichenicolous fungi collected during the 2002 Tuckerman Lichen Workshop. Evansia 21 (1) : 17-35
- 284 - LENDEMER J.C. - Changes and additions to the checklist of Nord American lichens - I. Mycotaxon 89 (2) : 255-258
- 285 - LENDEMER J.C. - A preliminary checklist of the lichen flora of Lehigh Gorge State Park. Opuscula Philolichenum I : 1-7
- 286 - LENDEMER J.C. - Recent records of lichens in the local area (MD, NJ, PA) I. Opuscula Philolichenum I : 9-20
- 287 - LENDEMER J.C. - Lichens of Eastern North America Exsiccata - Fascicle II nos 51-100. Opuscula Philolichenum I : 25-39
- 288 - LENDEMER J.C. - Lichens of Eastern North America Exsiccata - Fascicle III nos 101-150. Opuscula Philolichenum I : 41-54
- 289 - LENDEMER J.C. - *Placyntiella knudsenii* sp. nov., a new lichen from western North America. Opuscula Philolichenum I : 75-77
- 290 - LENDEMER J.C. & HARRIS R.C. - A checklist of the lichens collected on the 28th A. Leroy Andrews, Foray. Evansia 21 (2) : 88-100
- 291 - LENDEMER J.C. & LÜCKING R. - *Gyalideopsis moodyae* (Ostropales, Gomphillaceae) a new lichen species from eastern North America. Bryologist 107 (2) : 234-236
- 292 - LENDEMER J.C. & YAHR R. - Changes and additions to the checklist of north-american lichens. - II - Mycotaxon 90 (2) : 319-322
- 293 - LEUCKERT C., WIRTH V., KÜMMERLING H. & HEKLAU M. - Chemical lichen analyses XIV. *Lepraria nivalis* J.R. Laundon et *Lepraria flavescens* Cl. Roux et Tønsberg. Bibliotheca Lichenologica 88 : 393-409
- 294 - LEVY L.B., KAUFMAN D.S. & WERNER A. - Holocene glacier fluctuations, Waskey Lake, northeastern Ahklun Mountains, southwestern Alaska. Holocene 14 : 185-193
- 295 - LINDAHL P., ROOS P., ERIKSSON M. & HOLM E. - Distribution of Np and Pu in Swedish lichen samples (*Cladonia stellaris*) contaminated by atmospheric fall-out. Journal of Environmental Radioactivity 73 : 73-85

- 296 - LISICKÁ E. - Windstorm destruction to forest in the Tatry National Park, Slovakia. International Lichenological Newsletter 37 (2) : 13
- 297 - LISKA J. - "Bibliographie lichénologique Tchèque et Slovaque XVII ". [en tchèque] Bryonora 34 : 38-41
- 298 - LITTERSKI B. & AHITI T. - World distribution of selected European *Cladonia* species. Symbolae Botanicæ Upsaliensis 34 (1) : 205-236
- 299 - LÖHMUS P. - Composition and substrata of forest lichens in Estonia a meta analysis. Folia Cryptogamica Estonica 40 : 19-38
- 300 - LOPPI S. & FRATI L. - Influence of tree substrate on the diversity of epiphytic lichens : comparison between *Tilia platyphollos* and *Quercus ilex* (Central Italy). Bryologist 107 (3) : 340-344
- 301 - LÜCKING R. - A revised key to foliicolous Porinaceae (Ascomycota : Trichotheliales). Bibliotheca Lichenologica 88 : 409-426
- 302 - LÜCKING R. & CÁCERES M. - Corticolous species of *Trichothelium* (Ascomycota, Porinaceae). Mycological Research 108 (5) : 571-575
- 303 - LÜCKING R., STUART B.L. & LUMBSCH H.T. - Phylogenetic relationships of Gomphillaceae and Asterothyriaceae : evidence from a combined Bayesian analysis of nuclear and mitochondrial sequences. Mycologia 96 (2) : 283-294
- 304 - LUMBSCH H.T. - Comparison of homoplasy supports that characters have no *a priori* value in phylogenetic analyses of lichenized ascomycetes. Bibliotheca Lichenologica 88 : 427-431
- 305 - LUMBSCH H.T., MANGOLD A., LÜCKING R., GARCÍA M.A. & MARTÍN M.P. - Phylogenetic position of the genera *Nadvornikia* and *Pyrgillus* (Ascomycota) based on molecular data. Symbolae Botanicæ Upsaliensis 34 (1) : 9-17
- 306 - LUMBSCH H.T., SCHMITT I., PALICE Z., WICKLUND E., ECKMAN S. & WEDIN M. - Supraordinal phylogenetic relationships of Lecanoromycetes based on Bayesian analysis of combined nuclear and mitochondrial sequences. Molecular Phylogenetics and Evolution 31 : 822-832
- 307 - Mac CARTHY P.M. & MALLETT K. - Flora of Australia - Volume 56A, Lichens 4 - 240 pages. ABRS et CSIRO Publishing, Canberra et Melbourne
- 308 - MACKENZIE T.D.B., JOHNSON J. & CAMPBELL D.A. - Environmental change provokes rapid macromolecular reallocations within the photosynthetic system in a state population of photobionts in the lichen *Lobaria pulmonaria*. Lichenologist 36 (6) : 425-433
- 309 - MALCOLM W.M. - Transfer of three New Zealand species of *Dimerella* to *Coenogonium* (Gyalectaceae). Australasian lichenology 54 : 19
- 310 - MALYSHEVA N.V. - "Les lichens de Pskov. I. Brève analyse de la flore lichénique". [en russe, résumé anglais]. Botanical Zhurnal 89 (7) : 1070-1077
- 311 - MALYSHEVA N.V. - "Les lichens de Pskov. II. Distribution de lichens épiphytiques". [en russe, résumé anglais]. Botanical Zhurnal 89 (8) : 1276-1283
- 312 - MANDEEL Q. & APTRoot A. - Lichens of Bahrain. Willdenovia 34 (2) : 539-542
- 313 - MARTINEZ I. & ARAGÓN G. - The *Lecanora varia* group in Spain : species with amphithecial cortex. Bryologist 107 (2) : 222-230
- 314 - MASSON D. - Branches ou tronc ? Disposition spatiale des lichens *Hypotrachyna lividescens*, *H. revoluta* et *Parmelinopsis afrorevoluta* sur un même phorophyte. Cryptogamie Mycologie 25 (3) : 303-312
- 315 - MATTSON J.-E. & ARTICUS K. - The monophyletic groups of cetrarioid lichens. Symbolae Botanicæ Upsaliensis 34 (1) : 237-244
- 316 - MATTSSON J.-E. & LÄTTMAN H. - Chaos and order in teaching and research. Symbolae Botanicæ Upsaliensis 34 (1) : 245-255
- 317 - MAYRHOFER H. & LAMBAUER - Additional lichens records from New Zealand 41. Saxicolous and lichenicolous species of the genus *Rinodina*. Australasian Lichenology 54 : 28-34
- 318 - MERLO F. - Check-list of the lichens collected during Iter Mediterraneum III. Bocconea 17 : 285
- 319 - MESSUTI M.I. & ARCHER A.W. - *Pertusaria grassiae* (Pertusariaceae) a new lichen species from Argentina. Lichenologist 36 (3-4) : 213-216
- 320 - MIADLIKOWSKA J. & LUTZONI F. - Phylogenetic classification of Peltigeralean fungi (Peltigerales, Ascomycota) based on ribosomal RNA small and large subunits. American Journal of Botany 91 (3) : 449-464
- 321 - MIES B.A. & SCHULTZ M. - New and interesting lichen records from Soqotra Island (Yemen, Indian Ocean). Bibliotheca Lichenologica 88 : 433-452
- 322 - MIYAGAWA H., MATSUDA F. & HAMADA N. - LC/MS/MS analysis of lichen depsidones. Lichenology 2 : 183
- 323 - MIYAWAKI H. - "Lichens de l'Est Kalimantan, en Indonésie : forêts pluviales tropicales de plaines avec référence particulière aux feux de forêt". [en japonais, avec figures]. Lichen-News Bulletin of the Lichenological Society of Japan 13 : 5-8

- 324 - MOBERG R. - The lichen genus *Heterodermia* in Europe and the Macaronesian Islands. *Bibliotheca Lichenologica* 88 : 453-463
- 325 - MOBERG R. - Notes on foliose species of the lichen family Physciaceae in southern Africa. *Symbolae Botanicae Upsaliensis* 34 (1) : 257-288
- 326 - MOHR F., EKMAN S. & HEEGARD E. - Evolution and taxonomy of the marine *Collempsidium* species (lichenized Ascomycotina) in north-west Europe. *Mycological Research* 108 (5) : 515-532
- 327 - MOLINA M. de C., CRESPO A., BLANCO O., LUMBSCH H.T. & HAWKSWORTH D.L. - Phylogenetic relationships and species concepts in *Parmelia* s. str. (Parmeliaceae) inferred from nuclear ITS rDNA and β -tubulin sequences. *Lichenologist* 36 (1) : 37-54
- 328 - MORLEY S.E. & GIBSON M. - Cool temperate rainforest lichens of Victoria, Australia : floristics and distribution. *Bryologist* 107 (1) : 62-74
- 329 - MOUCHACCA J. - Novel fungal taxa from the Arid Middle East (1940-2000) : omission from previous notes. *Cryptogamie Mycologie* 25 (2) : 149-171
- 330 - MOUTCHNICK E.E. - "Les lichens de la ville de Voronej" [en russe]. *Botanical Zhurnal* 89 (4) : 614-624
- 331 - NAKAMURA K., YAMANAKA R., YAMAMOTO Y. & HARA K. - Useful biotransformation using lichene as the biocatalyst. *Lichenology* 2 : 184
- 332 - NASH III T.H. - New *Acharius* medallists : Jack Elix. *International Lichenological Newsletter* 37 (2) : 3- 4
- 333 - NASH III T.H., HERRERA-CAMPOS M.A. & ELIX J.A. - Preliminary treatment of *Xanthoparmelia* for Mexico. *Symbolae Botanicae Upsaliensis* 34 (1) : 289-326
- 334 - NASH III T.H., RYAN B.D., DIEDERICH P., GRIES C. & BUNGARTZ P. - Lichen flora from the Greater Sonoran Desert Region 2. *Lichen Unlimited*. Arizona State University Tempe, Arizona, USA
- 335 - NAYAKA S. & UPRETI D.K. - Scope for cryptogamic studies in Sacred Groves - a case study of lichens from Maharashtra. *Journal of Economic and Taxonomic Botany* 28 : 209-212
- 336 - NIMIS P.L. - Sylvia Duran Sharnoff Education Award for Lichenology : Class IIIId, Scuola Media Statale L., Trombini, Tirano. *International Lichenological Newsletter* 37 (2) : 11
- 337 - NIMIS P.L. & MARTELLO S. - Keys to the lichens of Italy.I. Terricolous species. Edizioni Goliardiche, Trieste.
- 338 - NIMIS P.L. & TRETIACH M. - Delimiting Tyrrhenian Italy : a lichen foray in the SW part of the peninsula. *Bibliotheca Lichenologica* 88 : 465-478
- 339 - NORDIN A. - New species of *Tetramelas*. *Lichenologist* 36 (6) : 355-359
- 340 - NORDIN A. - Three species new to Sweden in material collected by Du Rietz. *Graphis Scripta* 16 : 20-22
- 341 - NÖSKE N.M. & SIPMAN H.J.M. - Cryptogams of the Reserva Biológica San Francisco (Province Zamora-Chinchipe, Southern Ecuador) II. Lichens. *Cryptogamie Mycologie* 25 (1) : 91-100
- 342 - OBERMAYER W. - Additions to the lichen flora of the Tibetan Region. *Bibliotheca Lichenologica* 88 : 479-526
- 343 - OBERMAYER W. - *Lichenotheca Graecensis* Fasc. 14 nos 261-280. *Fritschiana* (Graz) 49 : 1-7
- 344 - OBERMAYER W. - *Dupla Graecensis Lichenum* (2004). *Fritschiana* (Graz) 49 : 9-27
- 345 - OBERMAYER W., BLAHA J. & MAYRHOFER H. - *Buellia centralis* and chemotypes of *Dimelaena oreina* in Tibet and other Central-Asian regions. *Symbolae Botanicae Upsaliensis* 34 (1) : 327-342
- 346 - OHMURA X. & KANDA H. - Taxonomic status of section *Neuropogon* in the genus *Usnea* elucidated by morphological comparisons and ITS rDNA sequences. *Lichenologist* 36 (3-4) : 217-225
- 347 - OLECH M. & BYSTREK J. - *Bryoria forsteri* (lichenized Ascomycotina) a new species from Antarctica. *Acta Societatis Botanicorum Poloniae* 73 (2) : 151-153
- 348 - OPANOWICZ M. & GRUBE M. - Photobionte genetic variation in *Flavocetraria nivalis* from Poland (Parmeliaceae, lichenized Ascomycota). *Lichenologist* 36 (2) : 125-13?
- 349 - ORANGE A. - The *Verrucaria fuscella* group in Great Britain and Ireland. *Lichenologist* 36 (3-4) : 173-182
- 350 - ORANGE A. - A remarkable new freshwater *Verrucaria* from Europe. *Lichenologist* 36 (6) : 349-354
- 351 - ORANGE A. - *Verrucaria papillosa* is a synonym of *V. viridula*. *Lichenologist* 36 (6) : 445-447
- 352 - ORTHOVÁ-SLEZÁKOVÁ V. - The genus *Xanthoparmelia*, nom. cons. prop. (lichenized Ascomycota) in Slovakia. *Mycotaxon* 90 (2) : 367-386
- 353 - OTÁLORA M.A.G., ARAGÓN G., MARTÍNEZ I. & MOLINA M.C. - A new corticolous species of *Leptogium* (Collemataceae) from Spain. *Lichenologist* 36 (3-4) : 197-202
- 354 - OTT S. - Early stages of development in *Usnea antarctica* Du Rietz in the South Shetland Islands, northern maritime Antarctica. *Lichenologist* 36 (6) : 413-423
- 355 - OTT S., BRINKMAN M., WIRTZ N. & LUMBSCH H.T. - Mitochondrial and nuclear ribosomal DNA data do not support the separation of the Antarctic lichens *Umbilicaria kappenii* and *Umbilicaria antarctica* as distinct species. *Lichenologist* 36 (3-4) : 227-234

- 356 - OTT S., ETGES S., ROGGE E. & JAHNS H.M. - Regeneration and determination in the peltigeralean lichens *Nephroma arcticum* and *Peltigera aptosa* pp. Bibliotheca Lichenologica 88 : 527-538
- 357 - OTTE V. - Flechten, Moose und lichenicole Pilze aus dem nordwestlichen Kaukasus—erster Nachtrag. Feddes Repertorium 115 : 155-163
- 358 - OTTE V. - Versuch der Identifikation der Moose und Flechten aus von Bergens "Flora Francofurtana" (1750). Verhandlungen des Botanischen Vereins von Berlin und Brandenburg 137 : 277-302
- 359 - OTTE V. - Zur Bedeutung der *Acer-negundo*-Anpflanzungen auf ehemaligen Rieselfeldern für die Berliner Flechtenflora. Verhandlungen des Botanischen Vereins von Berlin und Brandenburg 137 : 373-374
- 360 - OTTE V. & RÄTZEL S. - Kommentiertes Verzeichnis der Flechten und flechtebewohnenden Pilze Brandenburgs, Deutschland-zweite Fassung. Feddes Repertorium 115 : 134-154
- 361 - ØVSTEDAL D.O. & LEWIS SMITH R.I. - Additions and corrections to the Lichens of Antarctica and South Georgia. Cryptogamie Mycologie 25 (4) : 323-331
- 362 - PACHECO A.M.G. & FREITAS M.C. - Are lower epiphytes really better than higher plants for indicating airborne contaminants ? An insight into the elemental contents of lichen thalli and tree bark by INAA. Journal of Radioanalytical and Nuclear Chemistry 259 : 27-33
- 363 - PALICE Z. - "Littérature lichénologique nouvelle. XIII." [en tchèque]. Bryonora 33 : 50-56
- 364 - PALICE Z. & PRINTZEN C. - Genetic variability in tropical and temperate populations of *Trapeliopsis glaucolepidea* : evidence against long-range dispersal in a lichen with disjunct distribution. Mycotaxon 90 (1) : 43-54?
- 365 - PASSO A., CALVELO S. & STOCKER-WÖRGÖTTER E. - Taxonomic notes on *Pannaria pallida* from South America and New Zealand. Mycotaxon 90 (2) : 355-365
- 366 - PAZ-BERMUDEZ G. The new taxa of lichens and other ascomycetes from Mozambique collected by Pires de Lima and described by E.A.Vainio. Taxon 53 (2) : 511-519
- 367 - PAZ-BERMÚDEZ G. & ELIX J.A. - A new species of *Parmotrema* (Ascomycota, Parmeliaceae) from Portugal. Mycotaxon 89 (2) : 505-508
- 368 - PECK J.E., GRABNER J., LADD D. & LARSEN D.R. - Microhabitat affinities of Missouri Ozarks lichens. Bryologist 107 (1) : 47-61
- 369 - PEDLEY I. - Tom Chester 1933-2003. British Lichen Society Bulletin 94 : 1-3
- 370 - PERSON D., BECK A. & RAMBOLD G. - The distribution of ascus types and photobiontal selection in Lecanoromycetes (Ascomycotina) against the background of a revised SSU nr DNA phylogeny. Mycological Progress 3 (2) : 103-121
- 371 - PETERSON E., LINDBLOM L. & CAMERON R. - /Discussion : conservation and genetic variation in lichen populations/. International Lichenological Newsletter 37 (1) : 24-26
- 372 - PIERCEY-NORMORE M.D. - Selection of algal genotypes by three species of lichen fungi in the genus *Cladonia*. Canadian Journal of Botany 82 (7) : 947-961
- 373 - PIERCEY-NORMORE M.D., HAUSNER G. & GIBB E.A. - Group I intron-like insertions in SSU r DNA of *Cladonia gracilis* and *C. rangiferina*. Lichenologist 36 (6) : 365-380
- 374 - PIERVITTORI R., SALVADORI O. & ISOCRONO D. - Literature on lichens and biodeterioration on stone work, IV. Lichenologist 36 (2) 145-157
- 375 - POWELL T. & FRYDAY A. - Design of herbarium labels. British Lichen Society Bulletin 94 : 62-65
- 376 - PRIGODINA-LUKOSIENE I. - Epiphytes and their communities of common oak (*Quercus robur* L.) in Lithuania. Thèse Ph. D. Université de Vilnius, Lithuanie
- 377 - PRINTZEN C. & KANTVILAS G. - *Hertelidea*, genus novum Stereocaulacearum (Ascomycetes lichenisati). Bibliotheca Lichenologica 88 : 539-553
- 378 - PRINTZEN C. & TØNSBERG T. - New and interesting *Biatora*-species, mainly from North America. Symbolae Botanicae Upsaliensis 34 (1) : 343-357
- 379 - PUNTILLO D. & PUNTILLO M. - Flora of the Mavigliano Wood (Cosenza, Calabria). 1. The Lichens. Flora Mediterranean 14 : 189-200
- 380 - PYKÄLÄ J. - New finds of red-listed, rare and overlooked calicioid lichens and fungi in Southern Finland. Graphis Scripta 15 : 17-23
- 381 - PYKÄLÄ J. - Effects of new forestry practices on rare epiphytic macrolichens. Conservation Biology 18 : 831-838
- 382 - RA H.-S.Y., RUBIN L. & CRANG R.F.E. - Structural impacts on thallus and algal cell components of two lichen species in response to low-level air pollution in Pacific Northwest forests. Microscopy and Microanalysis 10 : 270-279
- 383 - RADIES D.N. & COXSON D.S. - Macrolichen colonisation on 120-140 year old *Tsuga heterophylla* in wet temperate rainforests of central-interior British Colombia : a comparison of lichen response to even-aged versus old-growth stand structures. Lichenologist 36 (3-4) : 235-247

- 384 - RANDLANE T. & SAAG A. - Hans Trass 75 - A birthday tribute. *Folia Cryptogamica Estonica* 40 : 65-68
- 385 - RANDLANE T. & SAAG A. - Distribution patterns of some primary and secondary cetrarioid species. *Symbolae Botanicae Upsaliensis* 34 (1) : 359-376
- 386 - RANDLANE T. & SAAG A. - Eesti pisisamblikud. Tartu. Voir: www.raamatukoi.ee
- 387 - REEB V., LUTZONI F. & ROUX C. - Contribution of RPB 2 to multilocus studies of the euascomycetes (Pezizomycotina, Fungi) with special emphasis on the lichen-forming Acarosporaceae and evolution of polyspory. *Molecular Phylogenetics and Evolution* 32 : 1036-1060
- 388 - REES W.G., TUTUBALINA O.V. & GOLUBEVA E.I. - Reflectance spectra of subarctic lichens between 400 and 2400 nm. *Remote Sensing of Environment* 90 : 281-292
- 389 - RICHARDSON D.H.S. & CAMERON R.P. - Cyanolichens : their response to pollution and possible management strategies for their conservation in northeastern North America. *Northeastern Naturalist* 11 : 1-32
- 390 - RIKKINEN J. - Ordination analysis of tRNA^{Leu} (UAA) intron sequences from lichen-forming *Nostoc* strains and other cyanobacteria. *Symbolae Botanicae Upsaliensis* 34 (1) : 377-391
- 391 - ROMAGNI J.G., ROSELL R.C., NANAYAKKARA N.P.D. & DAYAN F.E. - Ecophysiology and potential modes of action for selected lichen secondary metabolites. /In Macías F.A., Galindo J.C.G., Molinillo J.M.G. & Cutler H.G. - Allelopathy, Chemistry and Mode of Action of Allelochemicals. CRC Press Boca Raton, U.S.A./ : 13-33
- 392 - ROSENTERER R. & ELDRIDGE D.J. - Monitoring rangeland health : using a biological soil crust stability index. /In Hild A.L., Shaw N.L., Meyer S.E., Booth D.T. & McArthur E.D. - Seed and Soil Dynamics in Schrubland Ecosystems - Proceedings USDA Forests Service/ : 74-76
- 393 - ROUX C. - Les pycnides et conidies de *Lecanora vanskaei* (lichens, Lecanoraceae). *Mycotaxon* 90 (1) : 77-80
- 394 - ROUX C. - "Peuplements lichéniques et limite supérieure des forêts dans les Alpes françaises méridionales calcaires". [Egalement en Espéranto]. *Bulletin de la Société linnéenne de Provence* 55 : 71-88
- 395 - ROUX C. - Terminologie scientifique utilisée dans la "Nova Plena Illustrata Vortaro de Esperanto". [en Espéranto]. *Bulletin de la Société linnéenne de Provence* 55 : 105
- 396 - ROUX C, SÉRUSIAUX E. et BRICAUD O. & COPPINS B. - Le genre *Strigula* (Lichens) en Europe et en Macaronésie. *Bibliotheca Lichenologica* 90 : 1-96
- 397 - SAGA Y., KOMINE M., HARA K. & YAMAMOTO Y. - Thallus formation of *Peltigera* lichens in vitro. *Lichenology* 2 : 179
- 398 - ST. CLAIR L.L. & SEAWARD M. - Biodeterioration of Stone Surfaces. *Lichens and Biofilms as Weathering Agents of Rocks and Cultural Heritage*. Springer, Berlin . 290 pages
- 399 - SANCHO L. - New Acharius medallists : Ludger Kappen. *International Lichenological Newsletter* 37 (2) : 4-5
- 400 - SANCHO L.G. & PINTADO A. - Evidence of high annual growth rate for lichens in the maritime Antarctic. *Polar Biology* 27 : 312-319
- 401 - SANDERS W.B. - Bacteria, algae and phycobionts : maintaining useful concepts and terminology. *Lichenologist* 36 (5) : 269-275
- 402 - SANDERS W.B., MOE R.L. & ASCASO C. - The intertidal lichen formed by the pyrenomycete fungus *Verrucaria tavaresiae* (Ascomycotina) and the brown alga *Pteroderma maculiforme* (Phaeophyceae) : thallus organisation and symbiont interaction. *American Journal of Botany* 91 (4) : 511-522
- 403 - SANITÀ DI TOPPI L., MUSETTI R., MARABOTTINI R., CORRADI M.G., VATTUONE Z., FAVALI M.A. & BADIANI M. - Responses of *Xanthoria parietina* thalli to environmentally relevant concentrations of hexavalent chromium. *Functional Plant Biology* 31 : 329-338
- 404 - SANTESSON R. - Two new species of *Thamnolia*. *Symbolae Botanicae Upsaliensis* 34 (1) : 393-397
- 405 - SANTESSON R., MOBERG R., NORDIN A., TØNSBERG T. & VITIKAINEN O. - Lichen-forming and lichenicolous fungi of Fennoscandia. *Museum of Evolution, Uppsala Univ.* 360 p.
- 406 - SAWADA K., OBUCHI M. & NAKASHIMA H. - A genetic study of salt tolerance in lichens. *Lichenology* 2 : 181
- 407 - SCHEIDEGGER C. - Mason Hale Award : Jean-Claude Walsler. *International Lichenological Newsletter* 37 (2) : 8-10
- 408 - SCHEUER C. - Mycotheca Graecensis, Fasc. 19 et 20 (Nr. 361-400) und alphabetisches Gesamtverzeichnis. *Fritschiana (Graz)* 46 : 1-24
- 409 - SCHMITT I. & LUMBSCH H.T. - Molecular phylogeny of the Pertusariaceae supports secondary chemistry as an important systematic character set in lichen-forming ascomycetes. *Molecular Phylogenetics and Evolution* 33 : 43-55
- 410 - SCHOLLHAMMER P. - De l'utilité des Lichens. *Annales de la Société des Sciences Naturelles et d'Archéologie de Toulon et du Var* 56 (4) : 279-286

- 411 - SCHOLZ P. - Index of Lichen Distribution Maps now online. International Lichenological Newsletter 37 (2) : 15
- 412 - SCHOLZ P. - Uses of Lichens : I.Isla-Moos® and Isla-Mint® Herbal Lozenges. International Lichenological Newsletter 37 (2) : 16-17
- 413 - SCHULTZ M. - *Pterygiopsis pulchra*, a remarkable new species of the Lichinaceae from south-eastern Yemen. Bibliotheca Lichenologica 88 : 555-560
- 414 - SCUTARI N.C., BERTILLER M.B. & CARRERA A.L. - Soil associated lichens in rangelands of north-eastern Patagonia. Lichen groups and species with potential as bioindicators of grazing disturbance. Lichenologist 36 (6) : 405-412
- 415 - SEAWARD M.R.D. - The Geneva Sayre Fellowship 2003. Studying the Farlow lichen collections from the British Isles. Newsletter of the Friends of the Farlow 43 : 1-4
- 416 - SEAWARD M.R.D. & APTROOT A. - Four Seychelles lichens new to science. Lichenologist 36 (2) : 119-124
- 417 - SEAWARD M.R.D. & COPPINS B.J. - Lichens and hypertrophication. Bibliotheca Lichenologica 88 : 561-572
- 418 - SEAWARD M.R.D., SIPMAN H.J.M., SCHULTZ M., MAASSOUMI A.A., ANBARAN M.H.M. & SOHRABI M. - A preliminary lichen checklist for Iran. Willdenovia 34 : 543-576
- 419 - SELVA S.B. - *Coniocybe gracilescens* and species of *Sphinctrina* with I-septate spores. Symbolae Botanicae Upsaliensis 34 (1) : 19-23
- 420 - SÉRUSIAUX E., DIEDERICH P. & LAMBINON J. - Les macrolichens de Belgique, du Luxembourg et du Nord de la France. Ferrantia 40 : 1-92
- 421 - SHIMIZU A. - Community structure of lichens in the volcanic highlands of Mt Tokachi, Hokkaido, Japan. Bryologist 107 (2) : 141-151
- 422 - SHOWMAN R. & FLENNIKEN D. - The macrolichens of Ohio. 279 p.
- 423 - SHUKLA V., NEGI S., RAWAT M.S.M., PANT G. & NAGATSU A. - Chemical study of *Ramalina africana* (Ramalinaceae) from the Garhwal Himalayas. Biochemical Systematics and Ecology 32 : 449-453
- 424 - SIM-SIM M., CARVALHO P., SERGIO C., GARCIA C. & REGO F. - Recolonisation and changes in bryophyte and lichen biodiversity in burned areas from the Serra da Estrela (Portugal). Cryptogamie Bryologie 25 (4) : 367-384
- 425 - SIPMAN H. - The species of *Lobaria* (lichenized Ascomycetes) in New Guinea. Bibliotheca Lichenologica 88 : 573-606
- 426 - SIPMAN H., LEUCKERT C., OTTE V., KNOPH J.-G. & RUX K.-D. - Die Flechten in Willdenows "Florae Berolinensis Prodrromus" und ihr Vorkommen im heutigen Berlin. Feddes Repertorium 115 : 121-133
- 427 - SØCHTING U. - *Flavoparmelia caperata* - a probable indicator of increased temperatures in Denmark. Graphis Scripta 15 : 53-56
- 428 - SØCHTING U. - *Caloplaca kamczatica* and *C. obesimarginata* sp. nov., two species of temperate Pacific North America. Symbolae Botanicae Upsaliensis 34 (1) : 399-403
- 429 - SØCHTING U. - Lichenology Education Mart. International Lichen Newsletter 37 (1) : 27-28
- 430 - SØCHTING U., OVSTEDAL D.O. & SANCHO L.G. - The lichens of Hurd Peninsula, Livingston Island, South Shetlands, Antarctica. Bibliotheca Lichenologica 88 : 607-658
- 431 - SPARRIUS L.B. - A monograph of *Enterographa* and *Sclerophyton*. Bibliotheca Lichenologica 89 : 1-141
- 432 - SPARRIUS L.B. - *Dirina calcicola*, a new lichen species from Florida, U.S.A. Bryologist 107 (4) : 521-523
- 433 - STAPPER N.J. & KRICKE R. - Epiphytische Moose und Flechten als Bioindikatoren von städtischer Überwärmung, standorteuphierung und verkehrsbedingten. Immisionen Lemprichtia 24 : 187-208
- 434 - STOCKER-WÖRGÖTTER E. & ELIX J.A. - Experimental studies of lichenized fungi : formation of rare depsides and dibenzofurans by the cultured mycobiont of *Bunodophoron patagonicum* (Sphaerophoraceae, lichenized Ascomycota) . Bibliotheca Lichenologica 88 : 659-669
- 435 - STOCKER-WÖRGÖTTER E., ELIX J.A. & GRUBE M. - Secondary chemistry of lichen forming fungi : chemosyndromic variation and DNA-analyses of cultures and chemotypes in the *Ramalina farinacea* complex. Bryologist 107 (2) : 152-162
- 436 - STORDEUR R. & SCHOLZ P. - Lichenological Journals : I. Herzogia. International Lichenological Newsletter 37 (2) : 20-21
- 437 - SUIJA A. & ALSTRUP V. - *Buelliella lecanorae*, a new lichenicolous fungus. Lichenologist 36 (3-4) : 203-206
- 438 - SUIJA A. & JÜRIADO I. - New Estonian records - Microlichens. Folia Cryptogamica Estonica 40 : 64

- 439 - SUSSEY J.-M. & BAUBET R. - Les fiches du débutant. Bulletin d'informations de la Société Française de Lichénologie 29 (2) :
- 440 - SUTO Y. & OHTANI S. - Lichen genus *Strigula* collected on leaves of trees in Shimane Prefecture, Japan. Lichenology 2 : 177
- 441 - SVANE S.J. & ALSTRUP V. - Some licheniculous fungi from Iceland. Acta Botanica Islandica 14 : 53
- 442 - TAKAHASHI K., WANG L.-S. & DEGUCHI H. - *Sticta* of Yunnan, China. Lichenology 2 : 174
- 443 - TAKEDA M., HARA K., KOMINE M., INAMOTO T. & YAMAMOTO Y. - Screening of antibacterial activities in lichens. Lichenology 2 : 181
- 444 - TAKENAKA Y., TANAHASHI T. & HAMADA N. - Effects of metabolites of cultured mycobionts on the growth of lichen algae. Lichenology 2 : 183
- 445 - TAKENAKA Y., TANAHASHI T., NAGAKURA N., ITO A. & HAMADA N. - Three isocoumarins and a benzofuran from the cultured lichen mycobionts of *Pyrenula* sp. Phytochemistry 65 (23) : 3119-3123
- 446 - TEHLER A., DAHLKILD A., ELDENÄS P. & FEIGE G.B. - The phylogeny and taxonomy of Macaronesian, European and Mediterranean *Roccella* (Roccellaceae, Arthoniales). Symbolae Botanicae Upsaliensis 34 (1) : 405-428
- 447 - THELL A., FEUERER T., KÄRNEFELDT I., MYLLIS L. & STENROOS S. - Monophyletic groups within the Parmeliaceae identified by ITS rDNA, β tubulin and GAPDH sequences. Mycological Progress 3 (4) : 297-314
- 448 - THELL A., WESTBERG M. & KARNEFELT I. - Biogeography of the lichen family Parmeliaceae in the Nordic countries with taxonomic remarks. Symbolae Botanicae Upsaliensis 34 (1) : 429-452
- 449 - THOR G. - *Opegrapha suecica*, a new lichen from Europe. Symbolae Botanicae Upsaliensis 34 (1) : 453-454
- 450 - THOR G., NORDIN A. & HEDBERG I. - Contributions to Lichen Taxonomy and Biogeography Dedicated to Leif TIBELL. Symbolae Botanicae Upsaliensis 34 (1) : 1-499
- 451 - TIMDAL E. & ZHURBENKO M.P. - *Psora indigirkae*, a new species from eastern Siberia, with key to the Asian species of *Psora*. Symbolae Botanicae Upsaliensis 34 (1) : 25-29
- 452 - TIMONEY K.P. & MARSH J. - Lichen trimlines in Northern Alberta : establishment, growth rates and historic water levels. Bryologist 107 (4) : 429-440
- 453 - TITOV A.N. - "Lichens : Mycocaliciaceae, avec une clé de détermination". [en russe, résumé anglais]. Botanical Zhurnal 89 (7) : 1153-1165
- 454 - TITOV A.N., KUZNETSOVA E.S. & HIMELBRANT D.E. - Calicioid lichens and fungi from the Kamchatka Peninsula, Russia. Symbolae Botanicae Upsaliensis 34 (1) : 455-464
- 455 - TØNSBERG T. - Additions to the lichen flora of Great Smoky Mountains National Park. All Taxa Biodiversity Newsletter 5 : 6
- 456 - TORRES A., HOCHBERG M., PERGAMENT I., SMOUM R., NIDDAM V., DEMBITSKY V.M., TEMINA M., DOR I., LEV O., SREBNIK M & ENK C.D. - A new UV-B absorbing myosporine with photo protective activity from the lichenized ascomycete *Collema cristatum*. European Journal of Biochemistry 271 : 780-784
- 457 - TRETACH M. - Further additions to the Italian Lichen Flora. Cryptogamie Mycologie 25 (2) : 175-183
- 458 - TRIEBEL D., SCHOLZ P., HAGERNDORN G. & WEISS M. - History of exsiccatal series in cryptogamic botany and mycology as reflected by the web-accessible database of exsiccatae "IndExs - Index of Exsiccate". Bibliotheca Lichenologica 88 : 671-690
- 459 - TÜRK R., HAFELLNER J. & TAURER-ZEINER C. - Die Flechten Kärntens. (Sonderreihe des Naturwissenschaftlichen Vereins für Kärnten 2). - Klagenfurt. 336 pages. Voir : nwv@landesmuseum-ktnat
- 460 - TÜRK R. & UHL A. - Die Verbreitung und Ökologie einiger ausgewählter Arten der Gattung *Lecidea* und von *Tremolecia atrata* in Österreich. Bibliotheca Lichenologica 88 : 691-699
- 461 - UGUR A., ÖZDEN B., SAÇ M., YENER G., ALTINBAS Ü, KURUCU Y. & BOLCA M. - Lichens and mosses for correlation between trace elements and ^{210}Po in the areas near coal-fired power plant at Yatağan, Turkey. Journal of Radioanalytical and Nuclear Chemistry 259 : 87-92
- 462 - URBANAVICHUS G.P. & URBANAVICHENE I.N. - "*Rhizocarpon furfurosom* (Rhizocarpaceae, Ascomycota), lichen nouveau pour la Russie". [en russe, résumé anglais]. Botanical Zhurnal 89 (8) : 1362-1365
- 463 - Van den BOOM P.P.G. & KHODOSOVTSSEV A. - Notes on *Lecania* in eastern Europe and central Asia. Graphis Scripta 16 : 1-10
- 464 - VELDKAMP J.F. - *Bilimbia* (lichenes) resurrected. Lichenologist 36 (3-4) : 191-195
- 465 - VÉZDA A. - Zur Systematik von *Bacidia permira* (foliicole Flechte, Ascomycotina). Czech Mycologia 56 (1-2) : 149-150

- 466 - VÉZDA A. - Notes on the exsiccatum "Vezda : lichenes rariores" with Index to fascicles 1-50 (N^{os} 1-500). Czech Mycology 56 (1-2) : 151-162
- 467 - VILLAR S.E.J., EDWARDS H.G.M. & SEAWARD M.R.D. - Lichen biodeterioration of ecclesiastical monuments in northern Spain. Spectrochimica Acta, Part A 60 : 1229-1237
- 468 - VINGIANI S., ADAMO P. & GIORDANO S. - Sulphur, nitrogen and carbon content of *Sphagnum capillifolium* and *Pseudevernia furfuracea* exposed in bags in the Naples urban area. Environmental Pollution 129 : 145-158
- 469 - VITIKAINEN O. - Two new Zealand species *Peltigera* revisited. Symbolae Botanicae Upsaliensis 34 (1) : 465-467
- 470 - VONDRÁK J. & PALICE Z. - "Une localité intéressante pour la lichénologie, Zabridská Skála au pied des Monts de la Forêt de Bohème (Tchéquie)." [en tchèque]. Bryonora 33 : 22-26
- 471 - WACHHOLDER B.E., BURMEISTER M., PEDERSON C.L. & METHVEN A.S. - Baseline description of corticolous lichen communities for evaluating restoration of coastal floodplain forests. Transactions of the Illinois State Academy of Science, Supplement 97 : 47
- 472 - WALZER J.-C. - Molecular evidence for limited dispersal of vegetative propagules in the epiphytic lichen *Lobaria pulmonaria*. American Journal of Botany 91 (8) : 1271-1276
- 473 - WANG L.-S. & HARADA H. - Alectorioid lichens from Yunnan, China. Lichenology 2 : 175
- 474 - WARNEMENT J. - More about Thomas Taylor and his herbarium. Newsletter of the Friends of the Farlow 43 : 4-5
- 475 - WARNEMENT J. - LaGreca named Curator of Lichens at the Natural History Museum, London. Newsletter of the Friends of the Farlow 43 : 6-7
- 476 - WECKESSER M. - Stammepiphyten in einem Karpatenbirken-Fichten-Moorwald im Hochharz. Tuexenia 24 : 207-213
- 477 - WEDIN M., DÖRING H. & GİLENSTAM G. - Saprotrophy and lichenization as options for the same fungal species on different substrata : environmental plasticity and fungal lifestyles in the *Stictis-Conotrema* complex. New Phytologist 164 (3) : 459-465
- 478 - WEDIN M. & WIKLUND E. - The phylogenetic relationships of Lecanorales suborder Peltigerinae revisited. Symbolae Botanicae Upsaliensis 34 (1) : 469-475
- 479 - WESTBERG M. - *Vezdaea rheocarpa* new to North America. Mycotaxon 89 (1) : 153-154
- 480 - WESTBERG M. & FRÖBERG L. - "Nouvelles récoltes de *Heppia lutosa* à Öland (Suède)". [en suédois] Graphis Scripta 15 : 14-16
- 481 - WESTBERG M., KÄRNEFELT I. & THELL A. - *Melanelia agnata*, an overlooked species, new to Sweden. Graphis Scripta 16 : 23-27
- 482 - WETMORE C.M. - The isidiate corticolous *Caloplaca* species in North and Central America. Bryologist 107 (3) : 284-292
- 483 - WETMORE C.M. - The sorediate corticolous species of *Caloplaca* in North and Central America. Bryologist 107 (4) : 505-520
- 484 - WILLIAMSON B.J., MIKHAILOVA I., PURVIS O.W. & UDACHIN V. - SEM-EDX analysis in the source apportionment of particulate matter on *Hypogymnia physodes* lichen transplants around the Cu smelter and former mining town of Karabash, South Urals, Russia. Science of the Total Environment 322 : 139-154
- 485 - WIRTH V., DÜLL R., LLIMONA X., ROS R.M. & WERNER O. - Guía de campo de los Lichenes, Musgos y Hepaticas. Ediciones Omega, Barcelona. 589 p.
- 486 - WOLTERBEEK H.T., JERAN Z., VERBURG T., DE GOEIJ J.J.M. & van DAM J. - Chernoby ¹³⁷Cs in lichens : use of specific activity showing differences in transport routes of Cs and ¹³⁷Cs. Journal of Radioanalytical and Nuclear Chemistry 259 : 13-18
- 487 - YAHR R., VILGALYS R. et DEPRIEST P.T. - Strong fungal specificity and selectivity for algal symbionts in Florida scrub *Cladonia* lichens. Molecular Ecology, 13 (11) : 3367-3378
- 488 - YAMAMOTO Y., ABE C., ITO M., HARA K. & KOMINE M. - Lichen flora in shores of Tazawa Lake. Lichenology 2 : 178
- 489 - YAZICI K., ASLAN A. & APTROOT A. - Four new lichen species from Turkey. Mycotaxon 90 (1) : 177-180
- 490 - YENISOY KARAKAS S. & TUNCEL S.G. - Comparison of accumulation capacities of two lichen species analyzed by instrumental neutron activation analysis. Journal of Radioanalytical and Nuclear Chemistry 259 : 113-118
- 491 - YOSHIMURA I. - Nomenclature of Japanese Umbilicarioid lichens and their chemical substances. Lichenology 2 : 178
- 492 - ZAVADA M.S., DiMICHELE L. & TOTH C.R. - The demi-lichenization of *Trametes versicolor* (L. : Fries) Pilat (Polyporaceae) : the transfert of fixed ¹⁴CO₂ from epiphytic algae to *T. versicolor*. Northeastern Naturalist 11 : 33-40

- 493 - ZAVARZIN A. & TIMDAL E. - Note on the occurrence of *Nephroma occultum* Wetm. in Alaska. *Evansia* 21 (2) : 101-102
- 494 - ZEDDA L. & RAMBOLD G. - Diversity change of soil growing lichens along a climate gradient in Southern Africa. *Bibliotheca Lichenologica* 88 : 701-714
- 495 - ZELINKOVÁ J. - "Les lichens des parties gréseuses de la zone protégée de Broumovsko, (Tchéquie)". [en tchèque]. *Acta Musei Richnoviensis, sect. Natur.* 11 (2) : 81-99
- 496 - ZHAO Z.-T., REN Q. & APTROOT A. - An annotated key to the lichen genus *Pertusaria* in China. *Bryologist* 107 (4) : 531-541
- 497 - ZHURBENKO M.P. & ALSTRUP V. - Lichenicolous fungi on *Cladonia* mainly from the Arctic. *Symbolae Botanicae Upsaliensis* 34 (1) : 477-499
- 498 - ZHURBENKO M.P. & KHARPUKHAeva T.M. - New and rare lichen species from Buryatia (Baikal Lake region). *Botanical Zhurnal* 89 (2) : 208-214
- 499 - X... - Vagrant lichen charged in elk deaths. *Castilleja* 23 : 1